

**RESOLUTION OF THE AIR POLLUTION
CONTROL DISTRICT BOARD OF THE COUNTY OF
SANTA BARBARA, STATE OF CALIFORNIA**

In the Matter of) **APCD Resolution No. 12-07**
)
Adopting Amended Rules 102, 202, 321,)
330, 337, 349, and 353)
_____)

RECITALS

1. The Air Pollution Control District Board of the County of Santa Barbara (“Board”) is authorized to adopt, amend, or repeal rules and regulations pursuant to Health and Safety Code section 40725 *et seq.*
2. Pursuant to Health and Safety Code section 40001, the Board is required to adopt and enforce rules and regulations to achieve and maintain the state and federal ambient air quality standards.
3. The Board has determined that a need exists to amend Rule 102 (Definitions), Rule 202 (Exemptions to Rule 201), Rule 321 (Solvent Cleaning Machines and Solvent Cleaning), Rule 330 (Surface Coating of Metal Parts and Products), Rule 337 (Surface Coating of Aerospace Vehicles and Components), Rule 349 (Polyester Resin Operations), and Rule 353 (Adhesives and Sealants). The amendments to Rule 102 provide new and revised definitions that apply to the entire rule book. The amendments to Rule 202 provide revised exemptions from the permitting requirements in Rule 201 (Permits Required). The amendment to Rule 321 clarifies that the exemption does not apply to solvent cleaning machines when an operation-specific rule

indicates such equipment is subject to Rule 321. The amendments to Rules 321, 330, 337, 349, and 353 implement the 2010 Clean Air Plan proposed control measures R-SL-2, R-SC-2, R-SL-5, and R-SL-9 for controlling reactive organic compound emissions.

NOW, THEREFORE, IT IS HEREBY RESOLVED THAT:

- 1) This Board has held a hearing and accepted public comments in accordance with the requirements of Health and Safety Code section 40725 *et seq.*
- 2) The Board hereby finds that it has reviewed and considered the Addendum (Attachment 6) along with the certified final adopted 2010 Clean Air Plan Environmental Impact Report (Attachment 7) prior to the approval of the Addendum and that the approval of the Addendum reflects the Board's independent judgment and analysis.
- 3) The California Environmental Quality Act ("CEQA") findings set forth in Attachment 1 of the Board Package dated June 21, 2012 (herein after "Board Package") are hereby adopted as findings of this Board pursuant to CEQA and the CEQA guidelines.
- 4) The general rule findings, as set forth in Attachment 2 of the Board Letter, are hereby adopted as findings of this Board pursuant to Health and Safety Code section 40727.
- 5) The Responses to Public Comments, as set forth in Attachment 3 of the Board Package are hereby adopted as findings of this Board.
- 6) The amendments to Rules 102, 202, 321, 330, 337, 349, and 353 as set forth in Attachment 4 of the Board Package are hereby adopted as rules of the Santa Barbara County Air Pollution Control District pursuant to Health and Safety Code section 40725 *et seq.*

//

//

6) The Board authorizes the Control Officer to transmit Rules 102, 202, 321, 330, 337, 349, and 353 to the State Air Resources Board in compliance with applicable state and federal law. Additionally, the Board authorizes the Control Officer to do any other acts necessary and proper to obtain necessary approvals of the amended rules by the California Air Resources Board and the United States Environmental Protection Agency.


PASSED AND ADOPTED by the Air Pollution Control District Board of the County of Santa Barbara, State of California, this 21 day of June, 2012, by the following vote:

AYES: Wolf, Farr, Gray, Sierra, Reddington, Aceves, Alvarez, Martner, Schneider, L. Lavagnino, Richardson, S. Lavagnino.

NOES: None.

ABSTAIN: None.


ABSENT: Carbajal.



Chair, Air Pollution Control
District Board of the County of
Santa Barbara

ATTEST:


Louis D. Van Mullem, Jr.
Clerk of the Board

By 

Deputy

APPROVED AS TO FORM:

DENNIS A. MARSHALL
SANTA BARBARA COUNTY COUNSEL

By 

Deputy

Attorneys for the Santa Barbara County
Air Pollution Control District