

AGENDA

August 5, 2015

9:30 A.M.

Hearing Board

APCD Hearing Board Members:

Donald R. Ward
Dr. Francis P. Lagattuta
Robert J. Saperstein, Chair
David Schmarje
Larry Lavagnino, Vice-Chair

**BOARD OF SUPERVISORS HEARING ROOM
BETTERAVIA GOVERNMENT CENTER
511 EAST LAKESIDE PARKWAY
SANTA MARIA, CA**

Members of the public may address the Hearing Board on any matter listed on the agenda by completing and delivering to the Clerk a speaker slip before the item is considered. Matters not listed on the agenda may be addressed during the public comment period section of the agenda. Additional information can be obtained at the APCD office, 260 North San Antonio Road, Suite A, Santa Barbara, CA, or on the APCD website at: <http://www.ourair.org/apcd/apcd-hearing-board/>

In compliance with the Americans with Disabilities Act, individuals needing special accommodations to participate in the meeting should contact the APCD at 961, 8800 at least three working days prior to the scheduled meeting.

- I. 9:30 a.m. – Call to Order – Roll Call
- II. Administration of Oath to Participants
- III. Approval of minutes of the July 1, 2015 meeting
- IV. Requests for continuance or addition of Ex-Agenda items
- V. Announcements/Staff Reports
- VI. Public Comment Period
- VII. Public Hearings

Clerk of the APCD Board:

Louis D. Van Mullem, Jr.

1) Case No. – 2015-20-R -

ExxonMobil Production Company
12000 Calle Real, Goleta, CA 93117

Hearing – To consider an application by ExxonMobil Production Company for a Regular Variance from District Rule 328 and Rule 206, Conditions 9.C.12 and 9.C.12.(b) of Part 70/Permit to Operate 8092. The Petitioner operates equipment at their gas processing plant, approximately 25 miles northwest of Santa Barbara, CA. The facility’s continuous emissions monitoring plan requires that annual Relative Accuracy Test Audits and quarterly audits and calibrations be performed. Due to conditions beyond the reasonable control of the Petitioner, the facility is shutdown, therefore the required tests cannot be performed. The Petitioner is currently operating under Interim Variance Order 2015-19-I.

VIII. ADMINISTRATIVE AGENDA

Approved by vote on one motion. These items read only on request of Hearing Board members.

The following Variance Orders have been approved by the Air Pollution Control District Hearing Board. These orders are available for inspection and reproduction during normal business hours at the office of the Air Pollution Control District, 260 North San Antonio Rd., Suite A, Santa Barbara, California 93110.

A-1) Case No. – 2015-17-N – ExxonMobil Production Company
12000 Calle Real, Goleta, CA 93117

On July 10, 2015 Hearing Board member Larry Lavagnino approved a 90-Day Variance for the period of June 7, 2015 through September 4, 2015, or the date compliance is achieved, whichever occurs first. Said variance provides relief from District Rule 206, Condition 9.C.1(a)(i) of Part 70/Permit to Operate 5651 and allows for continued operation of the Petitioner’s Gas Turbine Generator (GTG) Zan-2501 and Heat Recovery Steam Generator (HRSG) while a replacement for a faulty valve is obtained and installed.

A-2) Case No. – 2015-19-I – ExxonMobil Production Company
12000 Calle Real, Goleta, CA 93117

On July 7, 2015 Hearing Board member Donald Ward approved an Interim Variance for the period of June 26, 2015 through September 23, 2015 or the date of decision on Petitioner’s request for a Regular Variance, whichever occurs first. Due to conditions beyond the reasonable control of the Petitioner, this Variance provides relief from District Rule 328 and Rule 206, Condition 9.C.12 of Part 70/Permit to Operate 8092 and grants the Petitioner protection for non-performance of the required testing and calibration procedures.

IV. ADJOURN

ANNOUNCEMENTS

The next regularly scheduled meeting of the Santa Barbara County Air Pollution Control District Hearing Board is September 2, 2015, 9:30 a.m.