

AGENDA

December 7, 2016

Hearing Board

9:30 A.M.

APCD Hearing Board Members:

Donald R. Ward, Chair
Dr. Francis P. Lagattuta
Robert J. Saperstein
David Schmarje, Vice-Chair
Lee-Volker Cox

**BOARD OF SUPERVISORS HEARING ROOM
BETTERAVIA GOVERNMENT CENTER
105 EAST ANAPAMU STREET
SANTA BARBARA, CA**

Members of the public may address the Hearing Board on any matter listed on the agenda by completing and delivering to the Clerk a speaker slip before the item is considered. Matters not listed on the agenda may be addressed during the public comment period section of the agenda. Petitions listed are on file with the Clerk of the APCD Hearing Board and are available for public inspection during regular business hours. Additional information can be obtained at the APCD office, 260 North San Antonio Road, Suite A, Santa Barbara, CA, or on the APCD website at: <http://www.ourair.org/apcd/apcd-hearing-board/>

In compliance with the Americans with Disabilities Act, individuals needing special accommodations to participate in the meeting should contact the APCD at 961-8800 at least three working days prior to the scheduled meeting.

- I. 9:30 a.m. – Call to Order – Roll Call
- II. Administration of Oath to Participants
- III. Approval of minutes of the November 2, 2016 meeting
- IV. Requests for continuance or addition of Ex-Agenda items
- V. Announcements/Staff Reports
- VI. Public Comment Period – *Persons desiring to address the Hearing Board on any subject within the jurisdiction of the Hearing Board not included as part of the agenda may do so at this time.*
- VII. Public Hearings

Clerk of the APCD Board:

Aeron Arlin Genet

- 1) Case No. – 2016-37-R Venoco, LLC
6267 Carpinteria Avenue, Carpinteria, CA 93013

Hearing – To consider an application by Venoco, LLC submitted on November 10, 2016 for a Regular Variance from District Rules 333.I and 206, Condition 9.C.20 of Part 70/Permit to Operate 8234. The Petitioner operates the equipment described in the Petition at Platform Holly, located offshore State Tidelands; Parcel 3242-1, South Ellwood Offshore Field.

- 2) Case No. – 2016-38-R Venoco
6267 Carpinteria Avenue, Carpinteria, CA 93013

Hearing – To consider an application by Venoco, LLC submitted on November 10, 2016 for a Regular Variance from District Rule 206, Conditions 9.C.1(c)(v), 9.C.1(c)(vi), and 9.C.1(c)(viii) of Part 70/Permit to Operate 7904. The Petitioner operates the equipment described in the Petition at the Ellwood Onshore Facility (EOF) located approximately 14 miles west of the City of Santa Barbara, California.

- 3) Case No. – 2016-39-R Venoco
6267 Carpinteria Avenue, Carpinteria, CA 93013

Hearing – To consider an application by Venoco, LLC submitted on November 10, 2016 for a Regular Variance from District Rule 206, Conditions 9.C.1(c)(i) and 9.C.2(c)(i) of Part 70/Permit to Operate 7904. The Petitioner operates the equipment described in the Petition at the Ellwood Onshore Facility (EOF) located approximately 14 miles west of the City of Santa Barbara, California.

- 4) Case No. – 2015-35-M1 Freeport McMoRan
201 South Broadway, Orcutt, CA 93455

Hearing – To consider an application by Freeport McMoRan Oil & Gas submitted on November 07, 2016 for a Modification of Variance and Modification of Final Compliance Date for Regular Variances 2015-35-R and 2016-12-R. The Petitioner is requesting continued relief from District Rules 359 and 206, Conditions 9.B.2, 9.C.2(c)(iii), 9.C.3, 9.C.24(h), and 9.C.24(i) of Part 70/Permit to Operate 9105. The Petitioner operates the equipment described in the Petition at Platform Hidalgo, located on offshore lease tract OCS-P-0450, approximately seven miles offshore of Point Arguello, California.

- 5) Case No. – 2015-36-M1 Freeport McMoRan
201 South Broadway, Orcutt, CA 93455

Hearing – To consider an application by Freeport McMoRan Oil & Gas submitted on November 07, 2016 for a Modification of Variance and Modification of Final Compliance Date for Regular Variances 2015-36-R and 2016-08-R. The Petitioner is requesting continued relief from District Rules 328, 359, and 206, Conditions 9.B.2, 9.C.2, 9.C.3, 9.C.12, 9.C.26(h), and 9.C.26(i) of Part 70/Permit to Operate 9103. The Petitioner operates the equipment described in the Petition on Platform Harvest located on the Outer Continental Shelf (OCS) lease tract OCS-P-0315 approximately 10 miles offshore Pt. Arguello, California.

- 6) Case No. – 2015-37-M1 Freeport McMoRan
201 South Broadway, Orcutt, CA 93455

Hearing – To consider an application by Freeport McMoRan Oil & Gas submitted on November 07, 2016 for a Modification of Variance and Modification of Final Compliance Date for Regular Variances 2015-37-R and 2016-06-R. The Petitioner is requesting continued relief from District Rules 328 and 206, Conditions 9.B.2, 9.C.1, 9.C.13, 9.C.15, 9.C.21, 9.C.26(n), and 9.D.4 of Part 70/Permit to Operate 5704. The Petitioner operates the equipment described in the Petition at the Gaviota Oil & Heating Facility (GOHF), located at 17100 Calle Mariposa Reina, Gaviota, CA.

7) Case No. – 2015-38-M1

Freeport McMoRan
201 South Broadway, Orcutt, CA 93455

Hearing – To consider an application by Freeport McMoRan Oil & Gas submitted on November 07, 2016 for a Modification of Variance and Modification of Final Compliance Date for Regular Variances 2015-38-R and 2016-10-R. The Petitioner is requesting continued relief from District Rules 359 and 206, Conditions 9.B.2, 9.C.2(c)(iii), 9.C.3, 9.C.24(h), and 9.C.24(i) of Part 70/Permit to Operate 9104. The Petitioner operates the equipment described in the Petition on Platform Hermosa located on the Outer Continental Shelf (OCS) lease tract OCS-P-0316 approximately 10 miles offshore Pt. Arguello, California.

VIII. ADMINISTRATIVE AGENDA

Approved by vote on one motion. These items read only on request of Hearing Board members.

The following Variance Orders have been approved by the Air Pollution Control District Hearing Board. These orders are available for inspection and reproduction during normal business hours at the office of the Air Pollution Control District, 260 North San Antonio Rd., Suite A, Santa Barbara, California 93110.

A-1) Case No. – 2016-36-E – Venoco
6267 Carpinteria Avenue, Carpinteria, CA 93013

On November 4, 2016 Hearing Board member Don Ward approved an Emergency Variance for the period of October 24, 2016 through November 7, 2016. Said variance provides relief from District Rule 206, Condition 9.C.4 of Part 70/Permit to Operate 8232 and allows for operation of Petitioner’s facility without continuous monitoring data transmission to the District due to a temporary loss of data service from their provider.

IX. ADJOURN

ANNOUNCEMENTS

The next regularly scheduled meeting of the Santa Barbara County Air Pollution Control District Hearing Board is January 4, 2017, 9:30 a.m.