

## AGENDA

November 1, 2017

9:30 A.M.

### APCD Hearing Board

Dr. Francis P. Lagattuta, Chair  
Robert J. Saperstein  
Lee-Volker Cox, Vice-Chair  
Terence Dressler  
Francis Peters, Jr.

BOARD OF SUPERVISORS HEARING ROOM  
COUNTY ADMINISTRATION BUILDING  
105 EAST ANAPAMU STREET  
SANTA BARBARA, CA

Members of the public may address the Hearing Board on any matter listed on the agenda by completing and delivering to the Clerk a speaker slip before the item is considered. Matters not listed on the agenda may be addressed during the public comment period section of the agenda. Petitions listed are on file with the Clerk of the APCD Hearing Board and are available for public inspection during regular business hours. Additional information can be obtained at the APCD office, 260 North San Antonio Road, Suite A, Santa Barbara, CA, or on the APCD website at: <http://www.ourair.org/apcd/apcd-hearing-board/>. Any disclosable public records related to an open session item on a regular meeting agenda and distributed by the Board Clerk to all or a majority of the members of the APCD Hearing Board less than 72 hours prior to that meeting are available for inspection in the APCD office or website.

In compliance with the Americans with Disabilities Act, individuals needing special accommodations to participate in the meeting should contact the APCD at 961-8800 at least three working days prior to the scheduled meeting.

- I. 9:30 a.m. – Call to Order – Roll Call
- II. Approval of minutes of the October 4, 2017 meeting
- III. Requests for continuance or addition of Ex-Agenda items
- IV. Announcements/Staff Reports
- V. Public Comment Period – *Persons desiring to address the Hearing Board on any subject within the jurisdiction of the Hearing Board not included as part of the agenda may do so at this time.*
- VI. Public Hearings - Administration of Oath to be conducted prior to each hearing.

Clerk of the APCD Board:

Aeron Arlin Genet

- 1) **Case No. – 2017-21-AP** Wine Institute  
425 Market Street, Suite 1000, San Francisco, CA 94105

**Hearing** – To consider a petition submitted on September 15, 2017 by the Wine Institute requesting a public hearing pursuant to California Health and Safety Code section 42302.1 for review of Final Authority to Construct No. 15044 issued to Central Coast Wine Services for modifications to its winery located at 2717 Aviation Way, Santa Maria, California. Petitioner is requesting the District Hearing Board review and determine whether the permit was properly issued as it relates to whether requirements for emissions control requirements for reactive organic compound emissions from wine fermentation tanks have been “achieved in practice” and therefore qualify as Best Available Control Technology.

- 2) **Case No. – 2017-24-AP** Wine Institute  
425 Market Street, Suite 1000, San Francisco, CA 94105

**Hearing** – To consider a petition submitted on October 11, 2017 by the Wine Institute requesting a public hearing pursuant to California Health and Safety Code section 42302.1 for review of Final Authority to Construct No. 15044-01 issued to Central Coast Wine Services for modifications to its winery located at 2717 Aviation Way, Santa Maria, California. Petitioner is requesting the District Hearing Board review and determine whether the permit was properly issued as it relates to whether requirements for emissions control requirements for reactive organic compound emissions from wine fermentation tanks have been “achieved in practice” and therefore qualify as Best Available Control Technology. Petitioner is also requesting this petition be consolidated into Hearing Board Case No. 2017-21-AP, as they are nearly identical.

## VII. ADMINISTRATIVE AGENDA

Approved by vote on one motion. These items read only on request of Hearing Board members.

The following Variance Orders have been approved by the Air Pollution Control District Hearing Board. These orders are available for inspection and reproduction during normal business hours at the office of the Air Pollution Control District, 260 North San Antonio Rd., Suite A, Santa Barbara, California 93110.

- A-1) **Case No. – 2017-22-I** – Freeport McMoran Oil and Gas, LLC  
201 South Broadway, Orcutt, CA 93455

On October 06, 2017 Hearing Board member Francis Peters approved an Interim Variance allowing for continued operation of Petitioner’s facility in violation of District Rule 206, Conditions 9.C.14, and 9.C.23 of Permit to Operate 6708 without an odor monitoring station due to the structure being completely destroyed by the Rucker fire. Said variance provides relief for the period of October 03, 2017 through December 31, 2017, or the date of decision on the Petitioner’s request for a 90-Day Variance, or the date compliance is achieved, whichever occurs first, while the monitoring station is rebuilt.

## VIII. ADJOURN

The next regularly scheduled meeting of the Santa Barbara County Air Pollution Control District Hearing Board is December 6, 2017, 9:30 a.m. Meeting is subject to cancellation if there are no items to be heard.