

	Case No / Date	2017-04-M1	2/6/19
	Petitioner	ExxonMobil Production Company	
	Permit #	Part 70/PTO 9101 R6	
	Date Rec'd	11/28/18	
	Time Rec'd	1347 hours	
<b>FOR OFFICIAL USE ONLY</b>			

**BEFORE THE HEARING BOARD  
OF THE SANTA BARBARA COUNTY  
AIR POLLUTION CONTROL DISTRICT**

In The Matter of the Application of )  
 ExxonMobil Production Company for a )  
 Modification of Final Compliance Date )  
 of Regular Variance from District Rule )  
 342.G.1 and Rule 206, Conditions )  
 9.C.2(c)(iii), 9.C.12, and 9.C.12(a)(i) of )  
 Part 70/Permit to Operate 9101 R6. )

**\*\*\* DRAFT \*\*\***

**H.B. Case No. 2017-04-M1**

**VARIANCE FINDINGS**

**AND ORDER**

On November 28, 2018, ExxonMobil Production Company filed a Petition for a Modification of Final Compliance Date of Regular Variance 2017-04-R. The petition was heard on February 6, 2019 in accordance with Health and Safety Code §40808 with Patrice Surmeier appearing for the Petitioner and Aimee Long appearing for the Santa Barbara County Air Pollution Control District.

This matter having been fully presented and duly considered, the Hearing Board makes the following findings and gives the following reasons for its decision.

1. Notice of the Hearing was duly given in the manner and for the time required by law.
2. Sworn testimony and argument on behalf of the Petitioner and the Air Pollution Control Officer were made, received, and considered.
3. The Petitioner operates the equipment described in the Petition at Platform Harmony, located on offshore lease tract OCS-P-0190.
4. ExxonMobil Production Company, a division of Exxon Mobil Corporation, is the holder

of Permit to Operate 9101. This main facility permit authorizes the operation of equipment and processes located at Platform Harmony, which is part of the Exxon – Santa Ynez Unit (SYU) Project.

5. As a result of the Plains All American Pipeline (AAPL) Line 901 failure on May 19, 2015, ExxonMobil experienced facility impacts. Due to these impacts, SYU onshore and offshore facilities are temporarily ceasing operations. On June 16, 2015 incoming platform gas was terminated. Preservation plans for the facility are still in progress. Line 901 remains shutdown and Plains continues to work with local and federal agencies to understand the nature of the failure and repair options. At this time, it is unclear when the restart of the facility may occur. Since most of the Petitioners facility is not in operation, the Petitioner asserts it is either infeasible or unwarranted to conduct source testing on certain pieces of equipment that are not operating during this extended shutdown. Upon the date the facility resumes platform gas processing, the Petitioner is requesting an additional 180 days of variance coverage from the below permit requirements to return the Central Process Heater to compliance. There are no expected emissions related to the granting of this variance.
6. Per Health and Safety Code §42357, the Petitioner requested a Modification of Final Compliance Date in order to extend variance coverage through January 31, 2021.
7. The Petitioner will monitor the dates, hours, and all emissions, if any, related to the granting of this Variance.
8. A nuisance as defined in District Rule 303 is not expected to occur as a result of this variance and continued operation is not likely to create an immediate threat or hazard to public health or safety.
9. Pursuant to Health and Safety Code §42357, it is found that “good cause” exists for the granting of the Petitioner’s request for Modification of the Final Compliance Date set forth in 2017-04-R.
10. The District staff supports the Petition as conditioned below.

**THEREFORE, THE HEARING BOARD ORDERS,** as follows:

That a modification of final compliance date of Regular Variance 2017-04-R be granted for the continued operation of Platform Harmony in violation of District Rule 342.G.1 and Rule 206, Conditions 9.C.2(c)(iii), 9.C.12, and 9.C.12(a)(i) of Part 70/Permit to Operate 9101 R6 from February 1, 2019 through January 31, 2021, or within 180 days of Platform Harmony resuming platform gas processing, whichever occurs first, with the following conditions:

1. Petitioner shall submit increments of progress to the Hearing Board and District on the first day of every calendar quarter after the effective date of the Regular Variance beginning April 1, 2019. The increments of progress report shall include: status of compliance, any corrective action taken to date, and the dates, times, volumes and actual emissions, if any, that occurred during the variance.
2. Petitioner shall submit a final report to the Hearing Board and District within thirty (30) days of the facility returning to compliance. The report shall include the date compliance was achieved together with the corrective actions taken and the dates, times, volumes and actual emissions, if any, that occurred during the variance period. If corrective action would be subject to District permits, then permits must be obtained prior to initiating corrective action.
3. Petitioner shall retain the obligation to comply with all other local, state and federal regulations not specifically referenced in the Order.
4. Failure to abide by all conditions of this Order shall subject the Petitioner receiving the variance to penalties set forth in Health and Safety Code section 42402.
5. Each day during any portion of which a violation occurs is a separate offense.

**DATED:** \_\_\_\_\_

**AYES:**

**NOES:**

**ABSENT:**

**ABSTAIN:**

---

Chair  
Santa Barbara County Air Pollution Control District  
Hearing Board