



**ACTION SUMMARY**  
**(Unofficial)**

**June 3, 2020**

**9:30 A.M.**

**APCD Hearing Board**

Dr. Francis P. Lagattuta  
Robert J. Saperstein, Vice-Chair  
Lee-Volker Cox, Chair  
Terence Dressler  
Francis Peters, Jr.

**REMOTE VIRTUAL PARTICIPATION ONLY**  
Zoom Hearing Board Meeting

**Counsel of the Hearing Board:**  
Maria Salido Novatt  
Paul Lee

**A. CALL TO ORDER – ROLL CALL**

Convened by Chair Dressler at 9:33 a.m.

Present: 5 - Colome, Cox, Peters, Saperstein, Dressler.  
Absent: 0 - None.

**B. ELECTION OF CHAIR AND VICE-CHAIR FOR 2020**

**Elect the Chair and Vice-Chair to serve as APCD Hearing Board Officers for calendar year 2020.**

A motion was made by Hearing Board member Peters, seconded by Hearing Board member Colome to elect Lee-Volker Cox as Chair for 2020 effective at the conclusion of the June 3, 2020 Hearing Board meeting. The motion carried by the following vote:

Ayes: 5 - Colome, Cox, Peters, Saperstein, Dressler.  
Noes: 0 - None.  
Abstain: 0 - None.  
Absent: 0 - None.

A motion was made by Hearing Board member Peters, seconded by Hearing Board member Colome to elect Robert J. Saperstein as Vice-Chair for 2020 effective at the conclusion of the June 3, 2020 Hearing Board meeting. The motion carried by the following vote:

Ayes: 5 - Colome, Cox, Peters, Saperstein, Dressler.  
Noes: 0 - None.  
Abstain: 0 - None.  
Absent: 0 - None.

**C. APPROVAL OF MINUTES**

**Approve minutes of the May 1, 2019 meeting.**

A motion was made by Hearing Board member Saperstein, seconded by Hearing Board member Cox that the minutes be approved. The motion carried by the following vote:

Ayes: 5 - Colome, Cox, Peters, Saperstein, Dressler.  
Noes: 0 - None.  
Abstain: 0 - None.  
Absent: 0 - None.

**Clerk of the APCD Board**  
Aeron Arlin Genet

**Aeron Arlin Genet**, Air Pollution Control Officer

**D. REQUESTS FOR CONTINUANCE OR ADDITION OF EX-AGENDA ITEMS**

None.

**E. ANNOUNCEMENTS / STAFF REPORTS**

**Receive announcements or reports from staff on matters of interest to the Hearing Board. There will be no Hearing Board discussion except to ask questions or refer matters to staff; and no action will be taken unless listed on a subsequent agenda.**

Kaitlin McNally, Manager for the District Compliance Division, gave the following announcements:

- In February, the California Air Resources Board (CARB) in partnership with the APCD, hosted a Variance and Hearing Board training. Participation in this event included members from the South Coast AQMD well as the Monterey Bay Air District. Materials used in this training were distributed to the District Hearing Board members.
- The Hearing Board Policies and Procedures document has been evaluated and is currently being revised. The updated document will be brought to the Hearing Board for consideration at a later date.
- Due to Covid-19, the District has closed both their Santa Maria and Santa Barbara office locations to the public, but is still performing essential functions with social distancing in place. Such essential functions include, but are not limited to: Compliance and Enforcement, Air Monitoring, Permitting, Rule Development, and Complaint Response.

**F. PUBLIC COMMENT PERIOD**

**Persons desiring to address the Hearing Board on any subject within the jurisdiction of the Hearing Board not included as part of the agenda may do so at this time.**

There were no public comments.

**G. PUBLIC HEARINGS - Administration of Oath to be conducted prior to each hearing.**

**G-1) Case No. – 2020-08-R (Regular Variance)  
Terracore, 1660 Sinton Road, Santa Maria, CA 93458**

**To consider a Petition for a Regular Variance from District Rules 361.D.3, 361.D.4, 361.L.2., 206, and Permit to Operate 8171-R10, Condition 2.e, submitted on April 22, 2020. The Petitioner operates the equipment described in the Petition at the GWP Fee Lease in the Cat Canyon Oil Field, Santa Maria.**

Representatives for the District: Aimee Long, Kaitlin McNally, Eric Kett, Maria Salida Novatt (Counsel), and Paul Lee (Counsel).

Representatives for the Petitioner: Laura Nuzzo, Ivan Tether, Rich Field, and Brian Buchanan.

Hearing held. Following testimony, the Hearing Board unanimously agreed that the six findings were made. A motion was made by Hearing Board member Peters, seconded by Hearing Board member Saperstein to accept the findings as stated and that Regular Variance 2020-08-R be granted as submitted in the draft Findings and Order for the period of June 20, 2020 through June 19, 2021, or the date compliance is achieved, whichever occurs first. The motion carried the following vote:

Ayes: 5 - Colome, Cox, Peters, Saperstein, Dressler.  
Noes: 0 - None.  
Abstain: 0 - None.  
Absent: 0 - None.

**G-2) Case No. – 2020-09-R (Regular Variance)  
DCOR, 260 Maple Court, Ste. 290, Ventura, CA 93003**

**To consider a Petition for a Regular Variance from District Rule 206, and Part 70 Permit to Operate 9110-R5, Conditions 9.C.2.a and 9.C.2.b(i), submitted on May 7, 2020. The Petitioner operates the equipment on Platform A in the Dos Cuadras Field, offshore lease tract OCS-P-0241, approximately 6 miles south-southeast from the City of Santa Barbara, California.**

Representatives for the District: Aimee Long, Kaitlin McNally, Eric Kett, Maria Salida Novatt (Counsel), and Paul Lee (Counsel).  
Representatives for the Petitioner: Robert Garcia, and Scott Knight.

Hearing held. Following testimony, the Hearing Board unanimously agreed that the six findings were made. A motion was made by Hearing Board member Peters, seconded by Hearing Board member Saperstein to accept the findings as stated and that Regular Variance 2020-09-R be granted as submitted in the draft Findings and Order for the period of June 3, 2020 through December 31, 2020. The motion carried the following vote:

Ayes: 5 - Colome, Cox, Peters, Saperstein, Dressler.  
Noes: 0 - None.  
Abstain: 0 - None.  
Absent: 0 - None.

**G-3) Case No. – 2020-10-R (Regular Variance)  
DCOR, 260 Maple Court, Ste. 290, Ventura, CA 93003**

**To consider a Petition for a Regular Variance from District Rule 206, and Part 70 Permit to Operate 9111-R5, Conditions 9.C.2.a and 9.C.2.b(i), submitted on May 7, 2020. The Petitioner operates the equipment on Platform B in the Dos Cuadras Field, offshore lease tract OCS-P-0241, approximately 6 miles south-southeast from the City of Santa Barbara, California.**

Representatives for the District: Aimee Long, Kaitlin McNally, Eric Kett, Maria Salida Novatt (Counsel), and Paul Lee (Counsel).  
Representatives for the Petitioner: Robert Garcia, and Scott Knight.

Hearing held. Following testimony, the Hearing Board unanimously agreed that the six findings were made. A motion was made by Hearing Board member Peters, seconded by Hearing Board member Cox to accept the findings as stated and that Regular Variance 2020-10-R be granted as submitted in the draft Findings and Order for the period of June 3, 2020 through December 31, 2020. The motion carried the following vote:

Ayes: 5 - Colome, Cox, Peters, Saperstein, Dressler.  
Noes: 0 - None.  
Abstain: 0 - None.  
Absent: 0 - None.

**G-4) Case No. – 2020-11-R (Regular Variance)  
DCOR, 260 Maple Court, Ste. 290, Ventura, CA 93003**

**To consider a Petition for a Regular Variance from District Rule 206, and Part 70 Permit to Operate 9114-R5, Conditions 9.C.2.a and 9.C.2.b(i), submitted on May 7, 2020. The Petitioner operates the equipment on Platform Hillhouse in the Dos Cuadras Field, offshore lease tract OCS-P-0240, approximately**

Representatives for the District: Aimee Long, Kaitlin McNally, Eric Kett, Maria Salida Novatt (Counsel), and Paul Lee (Counsel).  
Representatives for the Petitioner: Robert Garcia, and Scott Knight.

Hearing held. Following testimony, the Hearing Board unanimously agreed that the six findings were made. A motion was made by Hearing Board member Cox, seconded by Hearing Board member Peters to accept the findings as stated and that Regular Variance 2020-11-R be granted as submitted in the draft Findings and Order for the period of June 3, 2020 through December 31, 2020. The motion carried the following vote:

Ayes: 5 - Colome, Cox, Peters, Saperstein, Dressler.  
Noes: 0 - None.  
Abstain: 0 - None.  
Absent: 0 - None.

**G-5) Case No. – 2020-12-R (Regular Variance)  
Imerys Filtration Minerals, Inc., 2500 Miguelito Road, Lompoc, CA 93436**

**To consider a Petition for a Regular Variance from District Rules 361.D.3, 361.D.4, 361.L.2., 206, and Part 70 Permit to Operate 5840-R6, Part II, Conditions 9.C.3.a, 9.C.3.b.v, submitted on May 11, 2020. The Petitioner operates the equipment described in the Petition at the Celpure Plant at the Imerys Filtration Minerals, Inc. Lompoc Facility.**

Representatives for the District: Aimee Long, Kaitlin McNally, Eric Kett, Maria Salida Novatt (Counsel), and Paul Lee (Counsel).  
Representatives for the Petitioner: Jared Watts, Ken Rasmussen, and Vindi Ndulute.

Hearing held. Following testimony, the Hearing Board unanimously agreed that the six findings were made. A motion was made by Hearing Board member Peters, seconded by Hearing Board member Saperstein to accept the findings as stated and that Regular Variance 2020-12-R be granted as submitted in the draft Findings and Order for the period of June 20, 2020 through June 19, 2021, or the date compliance is achieved, whichever occurs first. The motion carried the following vote:

Ayes: 5 - Colome, Cox, Peters, Saperstein, Dressler.  
Noes: 0 - None.  
Abstain: 0 - None.  
Absent: 0 - None.

**G-6) Case No. – 2020-13-N (90-Day Variance)  
Southern California Gas Company, 1171 More Ranch Road**

**To consider a Petition for a 90-Day Variance from District Rules 333.E.1.a, 206, and Part 70 Permit to Operate 9584-R6, Conditions 9.C.1(a), 9.C.1(b)(iv), 9.C.1(b)(v) 9.C.1(b)(viii)(A), and 9.C.1(b)(viii)(C), submitted on May 18, 2020. The Petitioner operates the equipment described in the Petition at the La Goleta Facility located at 1171 More Ranch Road, Goleta, CA.**

Representatives for the District: Aimee Long, Kaitlin McNally, Eric Kett, Maria Salida Novatt (Counsel), and Paul Lee (Counsel).  
Representatives for the Petitioner: Edward Wiegman, and Andrew Longworth.

Hearing held. Following testimony, the Hearing Board unanimously agreed that the six findings were made. A motion was made by Hearing Board member Peters, seconded by Hearing Board member Saperstein to accept the findings as stated and that 90-Day Variance 2020-13-N be granted as submitted in the draft Findings and Order for the period of June 8, 2020 through September 5, 2020. The motion carried the following vote:

Ayes: 5 - Colome, Cox, Peters, Saperstein, Dressler.  
Noes: 0 - None.  
Abstain: 0 - None.  
Absent: 0 - None.

**H. ADMINISTRATIVE AGENDA - Approved by vote on one motion. These items read only on request of Hearing Board members.**

**Approved by vote on one motion. Below are summaries of single-member variance cases heard since the last Hearing Board meeting. These items read only on request of Hearing Board members.**

**H-1) Case No. – 2019-03-E  
Imerys Filtration Minerals, Inc., 2500 Miguelito Rd., Lompoc, CA 93436**

**On April 23, 2019 Hearing Board member Terence Dressler approved an Emergency Variance for the period of April 4, 2019 through May 3, 2019, or the date compliance is achieved, whichever occurs first. Said variance provides relief from District Rule 206, and Part 70/Permit to Operate 5840-R5, Part I, Conditions 9.C.7(a)(i), 9.C.7(b)(vi) and 9.C.12(a)(ii), and allows for continued operation of Petitioner’s facility while the cause of a PM10 exceedance on baghouse 110B is identified and repaired.**

**H-2) Case No. – 2019-04-I  
Freeport McMoRan Oil & Gas, 201 S. Broadway, Orcutt, CA 93455**

**On April 23, 2019 Hearing Board member Terence Dressler approved an Interim Variance for the period of April 16, 2019 through May 31, 2019, or the date compliance is achieved, or the date of decision on the Petitioner’s request for a 90-Day Variance, whichever occurs first. Said variance provides relief from District Rules 359.D.2 and 206, and Part 70/Permit to Operate 9103-R5, Conditions 9.C.3(a) and 9.C.3(b)(vii), and allows for continued operation of the Petitioner’s facility while the cause of the flare pilot and electronic ignition system failure to auto-ignite after extinguishing is identified and repaired.**

- H-3) Case No. – 2019-05-N  
Freeport McMoRan Oil & Gas, 201 S. Broadway, Orcutt, CA 93455

On June 6, 2019 Hearing Board member Terence Dressler approved a 90-Day Variance for the period of April 16, 2019 through July 14, 2019, or the date compliance is achieved, whichever occurs first. Said variance provides relief from District Rules 359.D.2 and 206, and Part 70/Permit to Operate 9103-R5, Conditions 9.C.3(a) and 9.C.3(b)(vii) and allows for continued operation of the Petitioner's facility while the cause of the flare pilot and electronic ignition system failure to auto-ignite after extinguishing is identified and repaired.

- H-4) Case No. – 2019-06-I  
United States Air Force, 1028 Iceland Ave., Vandenberg AFB, CA 93437-6010

On April 23, 2019 Hearing Board member Terence Dressler approved an Interim Variance for the period of April 20, 2019 through July 18, 2019, or the date compliance is achieved, or the date of decision on the Petitioner's request for a 90-Day Variance, whichever occurs first. Said variance provides relief from District Rules 328.C.2 and 206, and Part 70/Permit to Operate 13968-R1, Conditions 9.C.22 and 9.C.26 (CEMS Plan), and allows for operation of the Petitioner's facility while a failed CO analyzer on Turbine D is sent to the manufacturer for diagnostic testing and repair.

- H-5) Case No. – 2019-07-N  
United States Air Force, 1028 Iceland Ave., Vandenberg AFB, CA 93437-6010

Withdrawn by Petitioner due to compliance achieved.

- H-6) Case No. – 2019-08-E  
HVI Cat Canyon, Inc. f/k/a Greka Oil & Gas, Inc. (Greka), 2617 Clark Avenue, Santa Maria, CA 93456

On April 23, 2019 Hearing Board member Terence Dressler approved an Emergency Variance for the period of April 17, 2019 through May 16, 2019, or the date compliance is achieved, whichever occurs first. Said variance provides relief from District Rules 325 D.1 and 206, and Part 70/Permit to Operate 8869-R10, Conditions 9.C.3(b)(2) and 9.C.5(b)(1), and allows for continued operation of the Petitioner's facility while work is conducted with an electrical contractor to fix a short in the Vapor Recovery Unit.

- H-7) Case No. – 2019-09-I  
Imerys Filtration Minerals, Inc., 2500 Miguelito Rd., Lompoc, CA 93436

On April 23, 2019 Hearing Board member Terence Dressler approved an Interim Variance for the period of April 19, 2019 through July 17, 2019, or the date compliance is achieved, or the date of decision on the Petitioner's request for a 90-Day Variance, whichever occurs first. Said variance provides relief from District Rule 206, and Part 70/Permit to Operate 5840-R5, Part II, Condition 9.C.2(a), and allows for continued operation of the Petitioner's facility, while the cause of an SO<sub>4</sub> exceedance in scrubber 350 is identified and remedied.

- H-8) Case No. – 2019-10-N  
Imerys Filtration Minerals, Inc., 2500 Miguelito Rd., Lompoc, CA 93436

Withdrawn by Petitioner due to compliance achieved.

- H-9) Case No. – 2019-11-I  
Southern California Gas Co., 1171 More Ranch Road, Goleta, CA 93117

On June 27, 2019 Hearing Board member Francis Peters, Jr. approved an Interim Variance for the period of June 29, 2019 through September 25, 2019, or the date a successful NOx emissions reading is achieved, or the date of decision of the Petitioner's request for a 90-Day Variance, whichever occurs first. Said variance provides relief from District Rules 333.E.1.a, 333.F.3 and 206, and Part 70/Permit to Operate 9584-R6, Conditions 9.C.1(a), 9.C.1(b)(iv) and 9.C.16(i), and allows for operation of Petitioner's Main Unit #3 while repairs are made to a 650-bhp natural gas-fueled engine which exceeded the NOx emissions limit during quarterly monitoring.

- H-10) Case No. – 2019-12-N  
Southern California Gas Co., 1171 More Ranch Road, Goleta, CA 93117

Withdrawn by Petitioner due to compliance achieved.

- H-11) Case No. – 2019-13-E  
State of California/Beacon West Energy Group LLC, 1145 Eugenia Pl., #101,  
Carpinteria, CA 93013

On July 23, 2019 Hearing Board member Francis Peters, Jr. approved an Emergency Variance for the period of July 16, 2019 through July 30, 2019, or the date compliance is achieved, whichever occurs first. Said variance provides relief from District Rule 206, and Part 70/Permit to Operate 8234-R10, Condition 9.14.C, and allows for continued operation of the Petitioner's facility while connectivity issues between the High-Pressure Flare H-100 and the District's Data Acquisition System are repaired.

- H-12) Case No. – 2019-14-I  
United States Air Force, 1028 Iceland Ave., Vandenberg AFB, CA 93437-6010

On July 23, 2019 Hearing Board member Francis Peters, Jr. approved an Interim Variance for the period of July 19, 2019 through October 16, 2019, or the date compliance is achieved, or the date of decision on the Petitioner's request for a 90-Day Variance, whichever occurs first. Said variance provides relief from District Rules 328-C.2 and 206, and Part 70/Permit to Operate 13968-R1, Conditions 9.C.22 and 9.C.26 (CEMS Plan), and allows for the operation of the Petitioner's facility while a failed CO analyzer on Turbine C is sent to the manufacturer for diagnostic testing and repair.

- H-13) Case No. – 2019-15-N  
United States Air Force, 1028 Iceland Ave., Vandenberg AFB, CA 93437-6010

On August 15, 2019 Hearing Board member Francis Peters, Jr. approved a 90-Day Variance for the period of July 19, 2019 through October 16, 2019, or the date compliance is achieved, whichever occurs first. Said variance provides relief from District Rules 328-C.2 and 206, and Part 70/Permit to Operate 13968-R1, Conditions 9.C.22 and 9.C.26 (CEMS Plan), and allows for the operation of the Petitioner's facility while a failed CO analyzer on Turbine C is sent to the manufacturer for diagnostic testing and repair.

- H-14) Case No. – 2016-23-M2  
ExxonMobil Production Company, 12000 Calle Real, Goleta, CA 93117

Withdrawn by Petitioner due to permit modifications.

- H-15) Case No. – 2016-24-M2  
ExxonMobil Production Company, 12000 Calle Real, Goleta, CA 93117

Withdrawn by Petitioner due to permit modifications.

- H-16) Case No. – 2016-25-M2  
ExxonMobil Production Company, 12000 Calle Real, Goleta, CA 93117

Withdrawn by Petitioner due to permit modifications.

- H-17) Case No. – 2019-16-I  
United States Air Force, 1028 Iceland Ave., Vandenberg AFB, CA 93437-6010

On September 13, 2019 Hearing Board member Francis Peters, Jr. approved an Interim Variance for the period of September 9, 2019 through December 7, 2019, or the date compliance is achieved, or the date of decision on the Petitioner's request for a 90-Day Variance, whichever occurs first. Said variance provides relief from District Rules 328.C.2 and 206, and Part 70/Permit to Operate 13968-R1, Conditions 9.C.22 and 9.C.26 (CEMS Plan), and allows for the operation of the Petitioner's facility while a failed CO analyzer on Turbine A is sent to the manufacturer for diagnostic testing and repair.

- H-18) Case No. – 2019-17-N  
United States Air Force, 1028 Iceland Ave., Vandenberg AFB, CA 93437-6010

Withdrawn by Petitioner due to compliance.

- H-19) Case No. – 2019-18-RE  
Santa Barbara County Air Pollution Control District (Petitioner) vs. California Asphalt Production, Inc. (Respondent), 1660 Sinton Road, Santa Maria, CA 93458

Petition for Order of Revocation withdrawn by Petitioner due to payment of outstanding fees.

- H-20) Case No. – 2019-19-E  
Beacon West Energy Group, LLC, 1145 Eugenia Place #101, Carpinteria, CA 93013

On December 3, 2019 Hearing Board member Terence Dressler approved an Emergency Variance for the period of November 29, 2019 through December 13, 2019, or the date compliance is achieved, whichever occurs first. Said variance provides relief from District Rule 206, and Part 70/Permit to Operate 7904-R11, Condition 9.C.19, and allows for continued operation of the Petitioner's facility while connectivity issues with the District's Data Acquisition System and process and alarm systems at the Ellwood Onshore Facility are repaired.

- H-21) Case No. – 2019-20-I  
Beacon West Energy Group, LLC, 1145 Eugenia Place #101, Carpinteria, CA 93013

On December 13, 2019 Hearing Board member Terence Dressler. approved an Interim Variance for the period of December 14, 2019 through January 8, 2020, or the date compliance is achieved, or the date of decision on the Petitioner's request for a 90-Day Variance, whichever occurs first. Said variance provides relief from District Rule 206, and Part 70/Permit to Operate 7904-R11, Conditions 9.C.19, and allows for continued operation of the Petitioner's facility while connectivity issues with the District's Data Acquisition System and process and alarm systems at the Ellwood Onshore Facility are repaired.

- H-22) Case No. – 2019-21-N  
Beacon West Energy Group, LLC, 1145 Eugenia Place #101, Carpinteria, CA 93013

On January 8, 2020 Hearing Board member Terence Dressler approved a 90-Day Variance for the period of January 8, 2020 through February 11, 2020, or the date compliance is achieved, whichever occurs first. Said variance provides relief from District Rules 206, and Part 70/Permit to Operate 7904-R11, Condition 9.C.19, and allows for continued operation of the Petitioner's facility while connectivity issues with the District's Data Acquisition System and process and alarm systems at the Ellwood Onshore Facility are repaired.



**H-23) Case No. – 2020-01-I**

**HVI CCI/Trustee Michael McConnell, 2601 Skyway Drive, Ste. A1, Santa Maria, CA 93454**

On March 9, 2020 Hearing Board member Terence Dressler approved an Interim Variance for the period of March 6, 2020 through June 2, 2020, or the date compliance is achieved, or the date of decision on the Petitioner's request for a 90-Day Variance, whichever occurs first. Said variance provides relief from District Rules 361.D.1.a, 361.K.1.a and 206, and Permit to Operate 7053-R11, Condition 9, and allows for the operation of a non-compliant heater treater (APCD Device ID 3894).

**H-24) Case No. – 2020-02-N**

**HVI CCI/Trustee Michael McConnell, 2601 Skyway Drive, Ste. A1, Santa Maria, CA 93454**

On April 9, 2020 Hearing Board member Terence Dressler approved a 90-Day Variance for the period of March 6, 2020 through June 2, 2020, or the date compliance is achieved, whichever occurs first. Said variance provides relief from District Rules 361.D.1.a, 361.K.1.a and 206, and Permit to Operate 7053-R11, Condition 9, and allows for the operation of a non-compliant heater treater (APCD Device ID 3894).

**H-25) Case No. – 2020-03-I**

**HVI CCI/Trustee Michael McConnell, 2601 Skyway Drive, Ste. A1, Santa Maria, CA 93454**

On March 9, 2020 Hearing Board member Terence Dressler approved an Interim Variance for the period of March 6, 2020 through June 2, 2020, or the date compliance is achieved, or the date of decision on the Petitioner's request for a 90-Day Variance, whichever occurs first. Said variance provides relief from District Rules 361.D.1.a, 361.K.1.a and 206, and Permit to Operate 10166-R7, Condition 2.f., and allows for the operation of a non-compliant heater treater (APCD Device ID 1533).

**H-26) Case No. – 2020-04-N**

**HVI CCI/Trustee Michael McConnell, 2601 Skyway Drive, Ste. A1, Santa Maria, CA 93454**

On April 9, 2020 Hearing Board member Terence Dressler approved a 90-Day Variance for the period of March 6, 2020 through June 2, 2020, or the date compliance is achieved, whichever occurs first. Said variance provides relief from District Rules 361.D.1.a, 361.K.1.a and 206, and Permit to Operate 10166-R7, Condition 2.f., Condition 9, and allows for the operation of a non-compliant heater treater (APCD Device ID 1533).

**H-27) Case No. – 2020-05-I**

**HVI CCI/Trustee Michael McConnell, 2601 Skyway Drive, Ste. A1, Santa Maria, CA 93454**

On March 9, 2020 Hearing Board member Terence Dressler approved an Interim Variance for the period of March 6, 2020 through June 2, 2020, or the date compliance is achieved, or the date of decision on the Petitioner's request for a 90-Day Variance, whichever occurs first. Said variance provides relief from District Rules 361.D.1.a, 361.K.1.a and 206, and Permit to Operate 10165-R7, Condition 2.g., and allows for the operation of a non-compliant heater treater (APCD Device ID 1558).

**H-28) Case No. – 2020-06-N**

**HVI CCI/Trustee Michael McConnell, 2601 Skyway Drive, Ste. A1, Santa Maria, CA 93454**

On April 9, 2020 Hearing Board member Terence Dressler approved a 90-Day Variance for the period of March 6, 2020 through June 2, 2020, or the date compliance is achieved, whichever occurs first. Said variance provides relief from District Rules 361.D.1.a, 361.K.1.a and 206, and Permit to Operate 10165-R7, Condition 2.g., and allows for the operation of a non-compliant heater treater (APCD Device ID 1558).

**H-29) Case No. – 2020-07-E**

**ExxonMobil Oil & Gas Company, a Division of Exxon Mobil Corporation,  
PO Box 4358, Houston, TX 77210-4358**

**On March 12, 2020 Hearing Board member Terence Dressler approved an Emergency Variance for the period of March 9, 2020 through March 23, 2020, or the date compliance is achieved, whichever occurs first. Said variance provides relief from District Rules 331.E.1c, 206, and Part 70/Permit to Operate 9102-R6, Condition 9.C.4.b and 9.C.24.a, and allows for continued operation of the Petitioner’s facility while repairing a fugitive Reactive Organic Compound (ROC) leak (in excess of 10,000 ppm) on a grease injection port thread on wellhead HE-25 on Platform Heritage.**

A motion was made by Hearing Board member Saperstein, seconded by Hearing Board member Peters that Administrative Agenda items H-1 through H-29 be received and filed. The motion carried by the following vote:

Ayes: 5 - Colome, Cox, Peters, Saperstein, Dressler.  
Noes: 0 - None.  
Abstain: 0 - None.  
Absent: 0 - None.

**I. ADJOURN**

The meeting was adjourned at 12:15 p.m. to July 1, 2020. Meeting is subject to cancellation if there are no items to be heard.