

H.B. Case No.:	<u>2021-05-M4</u>
Petitioner:	<u>Beacon West Energy Group, LLC</u>
Permit No.:	<u>PT 70/PTO 9108-R5</u>
Date Rec'd:	<u>5/23/2024</u>
Time Rec'd:	<u>1548 hours</u>
Filing Fee Paid:	<u>\$739.00</u>

PETITION FOR VARIANCE

Type of Variance Requested:	
Emergency _____	Interim ¹ _____
90-Day _____	Regular <u>XX</u>
Length of Variance Requested:	Start Date <u>7-31-24</u>
	End Date <u>7-31-25</u>
¹ A 90-Day or Regular Variance must be filed concurrently with an Interim Variance	

1. PETITIONER INFORMATION

A. Please provide the name, address and phone number of the Petitioner.

Name: Beacon West Energy Group LLC [Attn: Keith Wenal]
 Address: 1145 Eugenia Place #101
Carpinteria, CA 93013
 Phone Number: (805) 395-9656

B. Please provide the name, address and phone number of the person authorized to receive correspondence regarding this Petition if different from response in 1.A.

Name: [Same as 1.A.]
 Address: Email: keith.wenal@beacon-west.com

 Phone Number: (805) 395-9656

C. The Petitioner is (please check one):

- 1) An Individual ()
- 2) Partnership (X)
- 3) Corporation ()
- 4) Public Agency ()
- 5) Other Entity (please describe)

2. Location of equipment for which the variance is requested if different from response in 1.A.

OCS Platform Hogan – Parcel OCS-P-0166, Carpinteria Field, Outer Continental Shelf

3. List any District permits that are applicable to the equipment subject to this variance request.

FINAL Part 70/APCD Permit to Operate No. 9108-R5

4. Briefly describe the equipment that is the subject of this Petition.

Beacon West Energy Group LLC (Beacon West) requests a Regular Variance to continue the significant repair work necessary to establish a safe working environment on Platform Hogan, and to comply with the Partial Stay Agreement between the previous P-OCS #0166 Lease ownership and BSEE where it cannot be achieved due to current facility operational status.

This petition is being submitted for a remaining portion of the permit conditions and rule provisions cited in Variance Order 2021-05-M2. The remaining equipment subject to this petition are well bay fugitive components. Gas emissions from leaking well head components as described in Attachment A of the monthly Variance reports. Attempts are made to mitigate external leaks where possible, the sustained wellhead leaks reported cannot be repaired until a rig and well work equipment can be safely installed.

5. FINDINGS REQUIRED FOR THE GRANTING OF A VARIANCE

In order for the Hearing Board to grant a variance to a Petitioner authorizing the operation of a source in violation of any rule, regulation or order of the District, the Hearing Board is required to make “findings” in accordance with the requirements specified in California Health and Safety Code §42352, et. seq. and District rules and regulations. The Hearing Board’s variance decision will take into consideration information you provide in this Petition. Please ensure your responses are complete and thorough. Please use additional pages as necessary.

A. Please state 1) what District rule, regulation or order you either are or will be in violation of, and 2) the date said violation will or did occur. Include as appropriate the applicable permit conditions for which variance relief is being sought.

- 1) Currently operating under variance 2021-05-M2 which expires July 30, 2024. We are requesting additional coverage.
- 2) Rule 331.D, E, G.1 and I; PTO 9109-R5 conditions 9.C.2(a), 9.C.2(b)(i) and 9.C.2(b)(ii).

B. Please describe how compliance with the District rule, regulation or order listed in Section A above is beyond your reasonable control. In addition to any other relevant factors, please

include in your discussion 1) what actions you have taken to comply or seek a variance, which were timely and reasonable under the circumstances.

- Effective mitigation of the well head fugitive emissions cannot be addressed until the platform is physically prepared and has the necessary safety and other ancillary systems to support a well intervention program. During the 2023-2024 variance period the following progress has been made to put the platform in a condition to support the start of well work.
 - Gauge program and well pressure monitoring continued this variance period, and continuation of monitoring and repair of wellhead fugitive leaks where safe to do so with the limited onboard equipment.
 - Portable Nautilus 280B crane installed and in service on Platform Hogan (November 2023).
 - Portable Unit 20000 crane installed and in service on Platform Hogan (March 2024).
 - Completed refurbishment of Unit 500 crane, installation on Hogan completed June 2024.
 - Removed the existing dilapidated and unsafe rig, BOP, sub-structure and Kill Water tank from the platform.
 - Ongoing refurbishment and repairs to emergency generator components and switching systems.
 - Structural upgrades to support the use of the portable cranes was completed.
 - Ongoing platform decking, grating, stairway and railing repairs.
 - Platform potable water maker system put into service.
 - Completion of platform intercom and audible alarm system.
 - Platform firewater piping replacements completed.
 - Monthly Method 21 inspections to assess fugitive emission leak concentrations continued through variance period. All reasonable and safe repairs to minimize limited fugitive emissions have been completed and is ongoing as new sources emerge.
 - Well remediation analysis and evaluation has been completed, and well monitoring is ongoing.

The platform is not currently in a state to support a well intervention program. The following actions are necessary to fully prepare the platform for well intervention:

- The removal of existing platform living quarters and installation of new quarters buildings.
- Repairs to the platform helideck to return to service.

Section B1 response:

- Neither the petitioner nor the former holders of Outer Continental Shelf Lands Act Lease P-0166 (“Lease”) is the current owner/operator of the platforms and therefore is not violating air pollution requirements subject to the air permit at issue. Pursuant to the Partial Stay Agreement among the former Lease holders and BSEE, the petitioner is taking certain monitoring and maintenance activities aimed at reducing or controlling human and environmental risks arising from the abandonment of the Lease assets (platforms and wells) by Signal Hill Services, Inc. (“Signal Hill”) and Pacific Operators Offshore, LLC (“POOL”) in 2020.
- The issues of ownership and decommissioning responsibilities of the Lease assets are currently under review before the Interior Board of Land Appeals (IBLA). As background, all of the former Lease holders sold their respective interests in the Lease and Lease assets to Signal Hill by 1991. Thereafter, Signal Hill became the owner of 100% of the record title interest of the Lease and its assets. On October 14, 2020, Signal Hill sent a Relinquishment of Federal Oil and Gas Lease to the Bureau of Ocean Energy Management. Based on Signal Hill’s communications, BSEE determined that Signal Hill had

preemptively defaulted on its obligations to decommission the wells and facilities under the terms of the Lease and Department of the Interior regulations promulgated pursuant to the Outer Continental Shelf Lands Act (OCSLA). As a result of Signal Hill's default, BSEE ordered the prior lessees (COP, OXY, and Devon) to decommission "all wells, pipelines, platforms, and other facilities" associated with the Lease.

- The prior lessees dispute that they accrued decommissioning obligations under the applicable Lease terms and regulations and have appealed those orders to the IBLA. In connection with that filing, the parties entered into a partial stay agreement with BSEE to address the ordered performance during pendency of the appeal. That agreement requires the prior lessees to perform certain maintenance and monitoring activities to preserve the Lease assets for decommissioning while the appeal disputing their ultimate decommissioning responsibility is pending. The IBLA approved the agreement in February 2021. Since that time, the former Lease holders and their contractors have invested extensive resources into the maintenance and restoration of the Hogan and Houchin facilities under this agreement, including repair, replacement, and upkeep of equipment designed to control and minimize emissions. Briefing of the issue of liability was completed in August 2021. The parties now await the IBLA's decision. Accordingly, the question of legal liability for decommissioning the facilities remains unresolved at this time, and the federal government has entered into an agreement with the prior lessees to maintain and monitor the facilities in the meantime.
- The violations could not have been prevented. Fugitive emissions from the wells and well bay were pre-existing conditions when the petitioner assumed monitoring and maintenance activities after Signal Hill and POOL abandoned the platforms and relinquished the Lease. No repair of the offshore wells to mitigate fugitive emissions should be attempted without a comprehensive well intervention program. Well intervention involves intrusive access and operation of a well and its related equipment. Well intervention is not part of the terms of the Partial Stay Agreement that the petitioner is currently performing for the former Lease holders. Since neither the petitioner nor the former Lease holders are the owner or operator of the Lease wells, and a well intervention program is not an obligation under the Partial Stay Agreement, the petitioner cannot unilaterally tamper with these assets belonging to another entity.
- Regarding any well remediation analysis and evaluation, the question of legal liability for decommissioning the facilities remains unresolved at this time, while the former Lease holders and the federal government have entered into a partial stay agreement to maintain and monitor the facilities during the appeal process. The maintenance and monitoring agreement does not impose an obligation to initiate a well remediation analysis and evaluation. The former Lease holders have undertaken this analysis to understand what subsurface condition the wells may be in. There will be periodic well bleed down (to the respective flare) to gather additional information on well response. There is no additional action required nor planned at this time.
-

- C. Please describe how you would be impacted if you were required to immediately comply with the District rule, regulation or order the subject of this variance request. In addition to any other relevant factors, please discuss why such impacts would result in 1) an arbitrary or unreasonable taking of property, or 2) the practical closing and elimination of a lawful business.

It is not possible to immediately comply with the subject requirements because the platform is not in a condition to support well intervention equipment required to safely address fugitive emissions on well and wellhead components. The petitioner is not the owner/operator of the platform. The District permit could be revoked from the platform

owner. The facility is already closed from a practical standpoint since it was abandoned by the previous Owner and Operator.

A well intervention program to address fugitive emissions is not an obligation pursuant to the Partial Stay Agreement. However, the Part 70/APCD Permit 9109-R5 is necessary to perform other obligations of the Partial Stay Agreement. The Partial Stay Agreement and Permit 9109-R5 (along with their respective legal rights and obligations) are the properties of the petitioner and/or former Lease holders. Without the petitioned variance to Permit 9109-R5, petitioner cannot meet certain requirements of the air permit, resulting in the potential cancellation/termination of the permit and/or the Partial Stay Agreement. As previously mentioned, neither the petitioner nor the former Lease holders are the owner or operator of the Lease wells, and a well intervention program is not an obligation under the Partial Stay Agreement. These are conditions beyond the reasonable control of the petitioner. Requiring compliance with the permit fugitive emissions requirements (i.e., denial of the petitioned variance) necessitates intervention on wells beyond the control of petitioner, and potentially leads to the unreasonable taking. Furthermore, in addition to California Health and Safety Code § 42352(a)(2), the hearing board must also find, under § 42352(a)(3), “[t]hat the closing or taking would be without a corresponding benefit in reducing air contaminants.” This unreasonable taking would have absolutely zero benefit in reducing air contaminants. Without continued variance coverage, the petitioner would be forced to cease all maintenance and refurbishment activities of the Lease assets.

- D. If you were required to immediately comply with the District rule, regulation or order the subject of this variance request, please describe what impact, if any, that would have on air contaminants.

It is not possible to immediately comply with the subject requirements because the platform is not in a condition to support well intervention equipment required to safely address fugitive emissions on well and wellhead components. The platform is not operating and will not resume production. The true party is absent and proceedings to determine a responsible party for decommissioning are ongoing. There is no potential for air contaminants from other equipment and processes associated with this petition, since said equipment is out of service. In the event that Beacon West could safely eliminate leaks this will be done immediately.

- E. Please describe what consideration you have given to curtailing operation of the source in lieu of obtaining a variance.

Platform oil and gas production is permanently shutdown. Source operations and equipment have been permanently taken out of service or curtailed to the extent possible. Prior Lease holders have taken the proactive position at the request of BSEE and contracted Beacon West to continue significant work to improve safety and environmental concerns by performing ongoing maintenance, repairs and refurbishments during 2023/24, as reported in monthly updates required by Variance Order 2021-05-M2.

Curtailing continued progress to establishing a safe platform, capable of supporting a well intervention program, would potentially exacerbate the issue of fugitive emissions as the platform will continue to degrade if not maintained and preserved. All completed and planned work is required before a well intervention program can be initiated.

The partial stay agreement requires the prior Lease holders to perform certain maintenance and monitoring activities to preserve the Lease assets for decommissioning while the appeal concerning decommissioning responsibility is pending. The partial stay agreement does not oblige the former Lease holders to undertake any well intervention work. The “well intervention program” statement is in reference to the risk of undertaking repairs to

fugitive emissions in the well bay that could require a well intervention if the attempted repair was to fail. The former Lease holders and their contractors have invested extensive resources into the maintenance and restoration of the Hogan and Houchin facilities under this agreement, including repair, replacement, and upkeep of equipment designed to control and minimize emissions. Although certain fugitive emissions remain, the risks of proceeding with those repairs in the well bay or on well heads, without a suitable well rig for an intervention is not prudent. The results of complications arising during an attempted repair to a well that would require an intervention into the well could result in a worse condition than currently being experienced. Well intervention is also beyond the obligations of the partial stay agreement.

F. Please describe what steps and measures you will take to reduce excess pollutant emissions the maximum extent feasible during the requested variance period.

- Planned activities to prepare the platform for start of a well intervention program and to further reduce excess emissions during upcoming variance:
 - The removal of existing platform living quarters and installation of new quarters buildings planned for Q2 2025.
 - Repairs to the platform helideck to return to service planned for Q4 2024.
 - Gauge program and well pressure monitoring and continuation of monitoring and repair of well head fugitive leaks where safe to do so with the limited onboard equipment.
 - Monthly Method 21 fugitive inspections to assess fugitive leak concentrations.
- The former Lease holders and their contractors have invested and continue to invest extensive resources into the maintenance and restoration of the Hogan and Houchin facilities under the partial stay agreement, including repair, replacement, and upkeep of equipment designed to control and minimize emissions. Only those limited fugitive emissions that could require a well intervention would remain.

G. If requested to do so by the District, please describe how you will monitor or otherwise quantify and report to the District any pollutant emissions associated with the granting of your variance.

1) Ongoing quarterly Method 21 inspections.

6. SUPPLEMENTAL FINDINGS IF APPLYING FOR AN EMERGENCY VARIANCE PURSUANT TO RULE 506 (EMERGENCY VARIANCE FOR BREAKDOWNS)

A. Please provide the date and time the breakdown was reported to the District

Date: N/A Time: _____

Breakdown number (as provided by the District): N/A

B. Please provide a description of the “breakdown condition”, including equipment involved and the cause to the extent it is known.

N/A

C. Please describe why the continued operation of your facility in a “breakdown condition” is not likely to cause an immediate threat or hazard to public health or safety and will not interfere with the attainment or maintenance of any primary national ambient air quality standard.

N/A

7. Will the operation of the equipment subject to this variance result in violation of District Rule 303, Nuisance?
No.
8. Please state whether or not any civil or criminal case involving the equipment subject to this variance is pending any court. There are no civil or criminal cases involving the equipment subject to this variance.

The undersigned is authorized to submit the above Petition on behalf of the Petitioner and further states under penalty of perjury that the above Petition, including any attachments and the items therein set forth, are true and correct.

DATE: 06/17/2024 SIGNATURE: 

TITLE: Chief Compliance Officer

PRINT NAME: Keith Wenal