



air pollution control district  
SANTA BARBARA COUNTY

Agenda Item: E-3  
Agenda Date: March 19, 2026  
Agenda Placement: Admin  
Estimated Time: N/A  
Continued Item: No

## Board Agenda Item

TO: Air Pollution Control District Board

FROM: Aeron Arlin Genet, Air Pollution Control Officer 

CONTACT: Kaitlin McNally, Compliance Division Manager, (805) 979-8298

SUBJECT: Notice of Violation Report

---

### RECOMMENDATION:

Receive and file the attached summary of notices of violation issued and penalty revenue received during the months of January and February 2026.

### DISCUSSION:

Pursuant to Section 40752 of the California Health and Safety Code, the Air Pollution Control Officer shall observe and enforce Part 3 and Part 4 of Division 26 of the Health and Safety Code, all orders, rules, and regulations prescribed by the District Board, all variances and orders prescribed by the District Hearing Board, and all permit conditions imposed pursuant to the District permit program.

In order to keep your Board informed of the enforcement actions taken by the Air Pollution Control Officer, the attached reports list a summary of the notices of violation issued and the penalty revenue received during the months indicated. Included in the attached Notices of Violation (NOV) Reports are two payment plans:

- 1) Purisima Hills, LLC. – Violation Settlement Agreement civil penalty of \$14,320 is being paid in six installments. The last installment payment of \$2,620 was received on January 6, 2026.
- 2) CAP Resolution Partners, LLC. – Compliance Agreement civil penalty payment of \$16,000 was received on February 13, 2026. Additional civil penalty payments will be due throughout the agreement period – the total amount due and number of penalty payments for the Compliance Agreement is dependent on CAP Resolution Partners' efforts to reach compliance. The Compliance Agreement lasts through March 1, 2027.

Aeron Arlin Genet, Air Pollution Control Officer

 (805) 979-8050

 [ourair.org](http://ourair.org)

 @OurAirSBC



260 N. San Antonio Road, Suite A, Santa Barbara, CA 93110  
1011 West McCoy Lane, Santa Maria, CA 93455

**ATTACHMENTS:**

- A. NOV Report, January 2026
- B. NOV Report, February 2026

ATTACHMENT A

Notice of Violations  
January, 2026

March 19, 2026

Santa Barbara County Air Pollution Control District  
Board of Directors

260 San Antonio Road, Suite A  
Santa Barbara, California 93110

1011 West McCoy Lane  
Santa Maria, California 93455

## Notices of Violation Issued January 2026

| Nov # | Facility                               | Company                                  | Location             | Violation Description  | Self Reported | Violation Issued | Rule              |
|-------|--|--|----------------------|--|---------------|------------------|-------------------|
| 14327 | Platform A                             | DCOR, LLC.                               | Santa Barbara County | Exceeded the number of allowable leaks   |               | 01/05/2026       | 331               |
| 14328 | Platform B                             | DCOR, LLC.                               | Santa Barbara County | Exceeded the number of allowable leaks   |               | 01/05/2026       | 331               |
| 14329 | Platform C                             | DCOR, LLC.                               | Santa Barbara County | Exceeded the number of allowable leaks   |               | 01/05/2026       | 331               |
| 14330 | Platform Hillhouse                     | DCOR, LLC.                               | Santa Barbara County | Exceeded the number of allowable leaks   |               | 01/05/2026       | 331               |
| 14331 | Platform Hogan                         | DCOR, LLC.                               | Santa Barbara County | Failed to maintain flaring event records   |               | 01/05/2026       | 206               |
| 14324 | Goleta Sanitary District WRRF          | Goleta Sanitary District                 | Goleta               | Exceeded fuel gas sulfur concentration for the digester gas-fired boiler   |               | 01/06/2025       | 311               |
| 14332 | Platform Hogan                         | DCOR, LLC.                               | Santa Barbara County | Failed to monitor hydrogen sulfide concentration for each flaring event greater than 1 hour  | x             | 01/07/2026       | 206               |
| 14333 | Platform Houchin                       | DCOR, LLC.                               | Santa Barbara County | Failed to monitor hydrogen sulfide concentration for each flaring event greater than 1 hour  | x             | 01/07/2026       | 206               |
| 14335 | City of Santa Barbara - 740 Dolores Dr | City of Santa Barbara - Fleet Management | Santa Barbara        | Failed to submit a transfer application by due date  |               | 01/13/2026       | 203               |
| 14336 | Las Flores Canyon                      | Sable Offshore Corp.                     | Santa Barbara County | Failed to operate pilot flame in the thermal oxidizer at all times   |               | 01/13/2026       | 206               |
| 14339 | Lompoc Sanitary Landfill               | City of Lompoc                           | Lompoc               | Failed to operate the flare within the required temperature range  |               | 01/15/2026       | 206               |
| 14341 | Santa Maria Asphalt Refinery           | CAP Resolution Partners, LLC.            | Santa Maria          | Failed to notify prior to commencing demolition activities   |               | 01/16/2026       | 1001              |
| 14334 | State St, 3999 (MVFF)                  | California Department of Transportation  | Santa Barbara        | Failed a gas station Vapor Recovery System test  |               | 01/20/2026       | 206               |
| 14337 | Suncoast Rentals - Buellton            | Suncoast Rentals - Buellton              | Buellton             | Operated a portable diesel engine after the December 2019 cutoff date.   |               | 01/20/2026       | 201, CCR Title 13 |
| 14342 | Suncoast Rentals - Buellton            | Suncoast Rentals - Buellton              | Buellton             | Operated a portable diesel engine after the December 2019 cutoff date.   |               | 01/20/2026       | 201, CCR Title 13 |
| 14340 | Newlove Lease                          | Pacific Coast Energy Company LP          | Orcutt               | Exceeded the gaseous fuel sulfur limit and daily emission limit for 2 steam generators   |               | 01/21/2026       | 206               |
| 14345 | Newlove Lease                          | Pacific Coast Energy Company LP          | Orcutt               | Failed to maintain and operate the vapor recovery system, failed to control emissions of produced gas at all times, and exceeded the emission limits |               | 01/21/2026       | 206, 325          |
| 14347 | Space Exploration Technologies         | Space Exploration Technologies           | VSFB                 | Exceeded boat trip requirements on 6/23/2025 including hourly fuel usage limit   |               | 01/22/2026       | 206               |
| 14348 | Space Exploration Technologies         | Space Exploration Technologies           | VSFB                 | Exceeded boat trip requirements on 6/26/2025 including hourly fuel usage limit   |               | 01/22/2026       | 206               |
| 14349 | Space Exploration Technologies         | Space Exploration Technologies           | VSFB                 | Exceeded boat trip requirements on 6/29/2025 including hourly fuel usage limit   |               | 01/22/2026       | 206               |
| 14350 | Space Exploration Technologies         | Space Exploration Technologies           | VSFB                 | Exceeded boat trip requirements on 7/7/2025 including hourly fuel usage limit  |               | 01/22/2026       | 206               |
| 14266 | Las Flores Canyon                      | Sable Offshore Corp.                     | Santa Barbara County | Exceeded the startup hours for the Stripping Gas Treatment Plant in September 2025   | x             | 01/26/2026       | 206               |

| <b>Nov #</b> | <b>Facility</b>                       | <b>Company</b>   | <b>Location</b> | <b>Violation Description</b>   | <b>Self Reported</b> | <b>Violation Issued</b> | <b>Rule</b> |
|--------------|---------------------------------------|--|-----------------|--|----------------------|-------------------------|-------------|
| 14338        | Santa Maria Asphalt Refinery          | CAP Resolution Partners, LLC.                          | Santa Maria     | Failed to connect an in-use tank to a properly operating vapor recovery system |                      | 01/30/2026              | 206         |
| 14344        | Outdoor Hardware Supply - Santa Maria | Western Village Shopping Centers<br>Foxenwood Builders | Santa Maria     | Failed to submit a transfer application by due date                            |                      | 01/30/2026              | 203         |
| 14351        | Union Sugar Lease                     | Pacific Coast Energy Acquisitions, LLC.                | Santa Maria     | Failed to seal an open ended line  |                      | 01/30/2026              | 331         |

### Penalty Settlement Payments Received January 2026

| Nov #                 | Facility                           | Company  | Location      | Violation Description  | Self Reported | Violation Issued        | Rule     | Date Paid  | Total Penalty Received |
|-----------------------|------------------------------------|--|---------------|--|---------------|-------------------------|----------|------------|------------------------|
| Multiple <sup>1</sup> | Blair Lease - Barham Ranch         | Purisima Hills, LLC.                               | Los Alamos    | Failed to properly maintain leak-free stock tanks  |               | 02/17/2023 & 09/13/2024 | 206      | 01/06/2026 | \$2,620                |
| 13287                 | Thornburg St, 2201 S. (MVFF)       | California Department of Transportation            | Santa Maria   | Installed and operated a diesel generator rated over 50 bhp without a District permit  |               | 04/10/2023              | 201      | 01/06/2026 | \$580                  |
| 13580                 | Thornburg St, 2201 S. (MVFF)       | California Department of Transportation            | Santa Maria   | Installed and operated an emergency/standby diesel generator without a District permit   |               | 01/30/2024              | 201      | 01/06/2026 | \$11,120               |
| 13493                 | Arellanes Lease                    | Pacific Coast Energy Acquisitions, LLC.            | Santa Maria   | Failed to control emissions of produced gas at all times   |               | 09/08/2023              | 325      | 01/06/2026 | \$580                  |
| 13507                 | Davis Lease                        | Pacific Coast Energy Acquisitions, LLC.            | Santa Maria   | Failed to store crude oil in a tank battery with a leak-free, properly installed, maintained and operated vapor recovery system  |               | 09/29/2023              | 325      | 01/06/2026 | \$580                  |
| 13509                 | Security Fee/Thomas Lease          | Pacific Coast Energy Acquisitions, LLC.            | Santa Maria   | Exceeded the number of allowable leaks and failed to store crude oil in a tank battery with a leak-free, properly installed, maintained and operated vapor recovery system |               | 09/29/2023              | 325, 331 | 01/06/2026 | \$1,740                |
| 13510                 | Union Sugar Lease                  | Pacific Coast Energy Acquisitions, LLC.            | Santa Maria   | Exceeded the number of allowable leaks, and failed to properly maintain a crude oil tank in good condition at all times  |               | 09/29/2023              | 206, 331 | 01/06/2026 | \$1,160                |
| 14049                 | Santa Ynez Valley Cottage Hospital | Santa Ynez Valley Cottage Hospital                 | Solvang       | Failed to submit 2024 Annual Report by due date  |               | 06/26/2025              | 206      | 01/06/2026 | \$620                  |
| 14185                 | Sunstone Winery                    | Channel Islands Management, LLC dba Sunstone Winer | Santa Ynez    | Failed to submit 2024 Annual Report by due date  |               | 07/01/2025              | 206      | 01/06/2026 | \$870                  |
| 14131                 | Silicone Technology                | NuSil Technology, LLC.                             | Carpinteria   | Failed to submit 2024 Annual Report by due date  |               | 07/02/2025              | 206      | 01/07/2026 | \$620                  |
| 13904                 | Broadway, 1901 S. (MVFF)           | #1 Car Wash & Gas                                  | Santa Maria   | Failed to maintain an In-Station Diagnostics alarm log   |               | 03/12/2025              | 206      | 01/14/2026 | \$300                  |
| 14115                 | Broadway, 1901 S. (MVFF)           | Star Wash LLC dba #1 Car Wash Petro                | Santa Maria   | Failed to submit 2024 Annual Report by due date  |               | 06/26/2025              | 206      | 01/14/2026 | \$300                  |
| 13636                 | CalPortland Construction           | CalPortland Construction                           | Santa Maria   | Exceeded permitted emissions limits for the asphalt concrete rotary dryer during source testing  |               | 05/01/2024              | 206      | 01/16/2026 | \$580                  |
| 13637                 | CalPortland Construction           | CalPortland Construction                           | Santa Maria   | Failed to submit source test results by due date   |               | 05/01/2024              | 206      | 01/16/2026 | \$580                  |
| 14060                 | Wood Glen Hall                     | Wood Glen Hall, Inc.                               | Santa Barbara | Failed to submit 2024 Annual Report by due date  |               | 06/26/2025              | 206      | 01/16/2026 | \$310                  |

**\$22,560**

1. Payment was received for the following two Notices of Violation: 13261 and 13806. The total civil penalty of \$14,320 for these violations to be paid in 6 installments. This is payment 6 of 6.

ATTACHMENT B

Notice of Violations  
February, 2026

March 19, 2026

Santa Barbara County Air Pollution Control District  
Board of Directors

260 San Antonio Road, Suite A  
Santa Barbara, California 93110

1011 West McCoy Lane  
Santa Maria, California 93455

## Notices of Violation Issued February 2026

| Nov # | Facility                              | Company                                  | Location             | Violation Description  | Self Reported | Violation Issued | Rule         |
|-------|---------------------------------------|--|----------------------|--|---------------|------------------|--------------|
| 14353 | Goleta Valley Cottage Hospital        | Goleta Valley Cottage Hospital           | Goleta               | Failed to conduct source tests for three boilers by due dates  |               | 02/05/2026       | 206          |
| 14354 | 1500 Camino Rio Verde                 | 1500 Camino Rio Verde                    | Santa Barbara County | Created a public nuisance to a considerable number of persons from smoke from a permitted agricultural burn                                |               | 02/05/2026       | 303          |
| 14355 | Titan Frozen Fruit - Betteravia       | Titan Frozen Fruit Parent, LLC.          | Santa Maria          | Failed to conduct boiler source test by due date   |               | 02/06/2026       | 206          |
| 14357 | MNUS                                  | MANN+HUMMEL Water Fluid Solutions, Inc.  | Goleta               | Exceeded the ACM annual ROC emission limits in 2024  | x             | 02/10/2026       | 206          |
| 14356 | 124 Ocean Ave<br>Units 1, 3, 4 and 6  | Michele Schneider                        | Santa Barbara        | Failed to determine whether asbestos was present prior to commencing renovation activities   |               | 02/11/2026       | 1001         |
| 14358 | UCSB                                  | University of California - Santa Barbara | Santa Barbara        | Installed and operated semiconductor equipment without a District permit   |               | 02/12/2026       | 201          |
| 14352 | Sun Coast Rentals - Buellton          | Sun Coast Rentals - Buellton             | Buellton             | Failed to provide portable diesel engine registration certificate and operating conditions as part of the rental agreement                 |               | 02/12/2026       | CCR Title 13 |
| 14361 | Hollister Ave, 5755 (MVFF)            | Goleta Properties, LLC.                  | Goleta               | Began construction of gas station equipment without a District permit  |               | 02/13/2026       | 201          |
| 14359 | Hollister Ave, 6831 (CSC)             | Rincon Consultants, Inc.                 | Goleta               | Failed to meet the carbon cannister ROC removal efficiency for a contaminated soil cleanup project   |               | 02/17/2026       | 206          |
| 14363 | Fusion Colors, Inc.                   | Fusion Colors, Inc.                      | Santa Maria          | Operated equipment beyond the Source Compliance Demonstration Period, and failed to submit a Permit to Operate application by the due date |               | 02/17/2026       | 201, 206     |
| 14364 | Lompoc Sanitary Landfill              | City of Lompoc                           | Lompoc               | Failed to monitor landfill wells   |               | 02/17/2026       | 206          |
| 14365 | Vandenberg SFB, Space Launch Delta 30 | United States Space Force                | VSFB                 | Installed and operated gas station equipment without a District permit   |               | 02/17/2026       | 201          |
| 14366 | Main St, 1260 W. (MVFF)               | Eagle Energy Inc.                        | Santa Maria          | Failed a gas station Vapor Recovery System test  |               | 02/18/2026       | 206          |
| 14367 | El Capitan State Beach "Shop" (MVFF)  | CA State Parks/Channel Coast             | Goleta               | Failed a gas station Vapor Recovery System test  |               | 02/18/2026       | 206          |
| 14368 | Clark Ave, 1104 E. (MVFF)             | Circle K Stores, Inc.                    | Santa Maria          | Failed a gas station Vapor Recovery System test  |               | 02/18/2026       | 206          |
| 14373 | 420 E. De La Guerra Street            | Quality Management Group                 | Santa Barbara        | Failed to determine whether asbestos was present prior to commencing renovation/demolition activities                                      |               | 02/26/2026       | 1001         |

## Penalty Settlement Payments Received February 2026

| Nov #                 | Facility                          | Company                           | Location             | Violation Description   | Self Reported | Violation Issued        | Rule     | Date Paid  | Total Penalty Received |
|-----------------------|-----------------------------------|-----------------------------------|----------------------|---|---------------|-------------------------|----------|------------|------------------------|
| 14146                 | Los Flores Ranch Lease            | HDT Inc.                          | Santa Barbara County | Operated a vapor recovery compressor beyond the Source Compliance Demonstration Period without a permit   |               | 08/15/2025              | 201, 206 | 02/03/2026 | \$1,080                |
| 14147                 | Los Flores Ranch Lease            | HDT Inc.                          | Santa Barbara County | Operated a knockout vessel, two gas chillers and associated fugitive components beyond the Source Compliance Demonstration Period without a permit  |               | 08/15/2025              | 201, 206 | 02/03/2026 | \$3,270                |
| 13368                 | Laurel Ave, 719 W. (MVFF)         | S.M.H. Diversified, Inc.          | Lompoc               | Failed to submit 2022 Annual Report by due date   |               | 05/26/2023              | 206      | 02/04/2026 | \$580                  |
| 13711                 | Laurel Ave, 719 W. (MVFF)         | S.M.H. Diversified, Inc.          | Lompoc               | Failed to submit 2023 Annual Report by due date   |               | 05/20/2024              | 206      | 02/04/2026 | \$600                  |
| 13747                 | Laurel Ave, 719 W. (MVFF)         | S.M.H. Diversified, Inc.          | Lompoc               | Failed to conduct and maintain daily inspection records   |               | 05/28/2024              | 206      | 02/04/2026 | \$600                  |
| 13679                 | Cathedral Oaks, 7380 (MVFF)       | Glen Annie Golf Club              | Goleta               | Failed to submit 2023 Annual Report by due date   |               | 05/20/2024              | 206      | 02/09/2026 | \$250                  |
| 14069                 | Cathedral Oaks, 7380 (MVFF)       | Glen Annie Golf Club              | Goleta               | Failed to submit 2024 Annual Report by due date   |               | 06/26/2025              | 206      | 02/09/2026 | \$620                  |
| 13869                 | J&A Santa Maria - Main St         | J&A - Santa Maria II, LLC         | Santa Maria          | Failed to conduct source test by the due date   |               | 12/06/2024              | 206      | 02/10/2026 | \$7,300                |
| 13985                 | J&A Santa Maria - Main St         | J&A - Santa Maria II, LLC         | Santa Maria          | Failed to submit source test results by due date  |               | 05/15/2025              | 206      | 02/10/2026 | \$600                  |
| 13986                 | J&A Santa Maria - Main St         | J&A - Santa Maria II, LLC         | Santa Maria          | Exceeded permitted limit for sulfur in landfill gas   |               | 05/15/2025              | 206      | 02/10/2026 | \$1,610                |
| 14356                 | 124 Ocean Ave Units 1, 3, 4 and 6 | Michele Schneider                 | Santa Barbara        | Failed to determine whether asbestos was present prior to commencing renovation activities  |               | 02/11/2026              | 1001     | 02/12/2026 | \$2,510                |
| Multiple <sup>1</sup> | Santa Maria Asphalt Refinery      | CAP Resolution Partners, LLC.     | Santa Maria          | Failed to install and operate a fence line air monitoring system, failed to conduct source tests for three heaters by due dates, and failed to connect an in-use tank to a properly operating vapor recovery system |               | 12/05/2025 & 01/30/2026 | 206, 364 | 02/13/2026 | \$16,000               |
| 14184                 | Bernat Winery & Vineyards         | Bernat Winery & Vineyards         | Santa Ynez           | Failed to submit 2024 Annual Report by due date   |               | 07/01/2025              | 206      | 02/17/2026 | \$310                  |
| 13369                 | Foster's Body & Paint             | Foster's Body & Paint             | Santa Maria          | Failed to submit 2022 Annual Report by due date   |               | 05/26/2023              | 206      | 02/18/2026 | \$500                  |
| 13715                 | Crystal Cleaners                  | Crystal Cleaners                  | Santa Maria          | Failed to submit 2023 Annual Report by due date   |               | 05/20/2024              | 206      | 02/19/2026 | \$500                  |
| 13849                 | Crystal Cleaners                  | Crystal Cleaners                  | Santa Maria          | Failed to maintain required records   |               | 11/20/2024              | 206      | 02/19/2026 | \$600                  |
| 13440                 | Lompoc Oil and Gas Plant          | Freeport-McMoRan Oil & Gas, LLC.  | Lompoc               | Failed to conduct Heater Treater source test by due date  |               | 06/21/2023              | 206      | 02/24/2026 | \$1,040                |
| 13839                 | Lompoc Oil and Gas Plant          | Freeport-McMoRan Oil & Gas, LLC.  | Lompoc               | Failed to control emissions of produced gas at all times  |               | 11/06/2024              | 325      | 02/24/2026 | \$600                  |
| 13491                 | Park Lane (985) ES Engine         | Neil Mellen                       | Santa Barbara        | Failed to submit a transfer application by due date   |               | 11/09/2023              | 203      | 02/24/2026 | \$580                  |
| 14030                 | Tognazzini - Adams Lease          | Krummrich Engineering Corporation | Santa Maria          | Failed to submit 2024 Annual Report by due date   |               | 06/30/2025              | 206      | 02/24/2026 | \$620                  |

**\$39,770**

1. Payment was received for three Notices of Violation: 14308, 14316 and 14338. These violations were inherited from the prior owner, California Asphalt Production, but are still not complied with. This is the first payment being made in accordance with a Compliance Agreement executed on February 11, 2026 between the District and CAP Resolution Partners, LLC. Additional civil penalty payments will be due throughout the agreement period – the total amount due and number of penalty payments for the Compliance Agreement is dependent on CAP Resolution Partners' efforts to reach compliance. The Compliance Agreement lasts through March 1, 2027.