



AGENDA

June 3, 2026
9:30 A.M.

APCD Hearing Board

Dr. Steven Colome, Vice-Chair
Jonathan Cook
Lee-Volker Cox
Terence Dressler, Chair
Robert J. Saperstein

Counsel of the Hearing Board:
Christine Monroe
Paul Lee

**BOARD OF SUPERVISORS HEARING ROOM
COUNTY ADMINISTRATION BUILDING
105 EAST ANAPAMU STREET
SANTA BARBARA, CA**

Members of the public may address the Hearing Board on any matter listed on the agenda. Matters not listed on the agenda may be addressed during the public comment period section of the agenda. If you wish or anticipate a desire to speak during the APCD Hearing Board Meeting, the following method is available:

In-Person Santa Barbara Location. County Administration Building Hearing Room, Fourth Floor, 105 East Anapamu Street.

Members of the public may address the Hearing Board on any matter listed on the agenda by completing and delivering a speaker slip to the Clerk before the item is considered.

Petitions listed are on file with the Clerk. Additional information can be obtained on the District's website at: www.ourair.org/apcd-hearing-board-meeting. Any disclosable public records related to an open session item on a regular meeting agenda and distributed by the Board Clerk to all or a majority of the members of the APCD Hearing Board less than 72 hours prior to that meeting are available for inspection at the District's Office and on the District's website. APCD Hearing Board meetings are audio recorded; recordings will be made available upon request pursuant to the California Public Records Act. In compliance with the Americans with Disabilities Act, individuals needing special accommodations to participate in the meeting should contact the APCD at (805) 979-8050 at least three working days prior to the scheduled meeting.

A. CALL TO ORDER – ROLL CALL

B. APPROVAL OF MINUTES

Approve minutes of the January 7, 2026 regular meeting.

C. ANNOUNCEMENTS / STAFF REPORTS

Receive announcements or reports from staff on matters of interest to the Hearing Board. There will be no Hearing Board discussion except to ask questions or refer matters to staff; and no action will be taken unless listed on a subsequent agenda.

D. PUBLIC COMMENT PERIOD

Persons desiring to address the Hearing Board on any subject within the jurisdiction of the Hearing Board not included as part of the agenda may do so at this time.

Clerk of the APCD Board
Aeron Arlin Genet

E. PUBLIC HEARINGS

- E-1) Case No. 2025-09-M1 (Modification of Variance and Final Compliance Date)
Santa Barbara County Public Works Department, 130 E. Victoria St. Ste. 100, Santa Barbara, CA 93101**

To consider a Modification of Regular Variance from District Rules 328.C.2, C.4, G, H and I.1 and Rule 206; ATC 14500-Mod 10 Conditions 9.B.12, 9.C.1.b.i, 9.C.1.b.iii., 9.C.2.b.ii., 9.C.3.b.i., 9.C.3.b.ii., 9.C.3.b.iii., 9.C.3.b.iv., 9.C.3.c.i., 9.C.3.c.ii., 9.C.3.d.i, 9.C.3.d.ii., 9.C.5.b.i., 9.C.5.c.i., 9.C.6.a.iii, 9.C.6.a.iv., 9.C.7.a.i, 9.C.7.a.ii., 9.C.7.a.iv, 9.C.9.a.i, 9.C.9.a.iv., 9.C.9.b.iii., 9.C.9.b.iv.1.a., 9.C.9.b.iv.2.a., 9.C.9.b.ix, 9.C.9.b.xv., 9.C.9.b.xvi., 9.C.9.c.xiii (ADF CHP IC engines only), 9.C.10.b.i., 9.C.10.b.v., 9.C.10.b.xvi., 9.C.10.b.xvii., 9.C.10.c.iv., 9.C.10.d.i, 9.C.11.a.i., 9.C.11.a.ii., 9.C.11.b.i., 9.C.11.b.iv., 9.C.11.b.v., 9.C.11.b.viii., 9.C.11.b.ix., 9.C.11.b.x., 9.C.11.b.xi., 9.C.11.c.viii, 9.C.11.c.ix., 9.C.11.c.x., 9.C.11.c.xi., 9.C.11.c.xii, 9.C.19.a (ADF CHP IC engines only), 9.C.21 (ADF and MRF CHP IC engines only) 9.C.22, 9.C.34.f (Biofilter Monitoring Plan); and PT 70/PTO 14500 Conditions 9.B.12, 9.C.2.b.i., 9.C.2.b.iii., 9.C.3.b.ii., 9.C.4.b.i., 9.C.4.b.ii., 9.C.4.b.iii., 9.C.4.b.iv., 9.C.4.c.i., 9.C.4.c.ii., 9.C.4.c.iii., 9.C.4.d.i., 9.C.4.d.ii., 9.C.6.b.i., 9.C.6.c.i., 9.C.7.a.iii., 9.C.7.a.iv., 9.C.9.a.i., 9.C.9.a.ii., 9.C.9.a.iv., 9.C.10.a.i., 9.C.10.a.iv., 9.C.10.b.iii., 9.C.10.b.iv.1.a., 9.C.10.b.iv.2.a., 9.C.10.b.ix., 9.C.10.b.xv., 9.C.10.b.xvi., 9.C.10.c.xiii. (ADF CHP IC engines only), 9.C.11.b.i., 9.C.11.b.v., 9.C.11.b.xvii., 9.C.11.c.iv., 9.C.11.d.i., 9.C.12.a.i., 9.C.12.a.ii., 9.C.12.b.i., 9.C.12.b.iv., 9.C.12.b.v., 9.C.12.b.viii., 9.C.12.b.ix., 9.C.12.b.x., 9.C.12.b.xi., 9.C.12.c.viii., 9.C.12.c.ix., 9.C.12.c.x., 9.C.12.c.xi., 9.C.12.c.xii., 9.C.20.a (ADF CHP IC engines only), 9.C.22 (ADF and MRF CHP IC engines only), 9.C.23, and 9.C.35.f (upon issuance). The variance petition was submitted on May 4, 2026, for relief from the following requirements at the Tajiguas Landfill: Best Available Control Technology (BACT) emission limits for Anaerobic Digestion Facility (ADF) and Materials Recovery Facility (MRF) combined heat and power (CHP) internal combustion (IC) engines, operational parameters, continuous emissions monitoring system (CEMS) requirements and data telemetry for the ADF and MRF CHP IC engines, and CEMS excursions until compliance can be achieved.

F. ADMINISTRATIVE AGENDA

- F-1) Case No. – 2026-01-E
Sable Offshore Corp., 12000 Calle Real, Goleta, CA**

On February 13, 2026, Hearing Board member Terence Dressler approved an Emergency Variance for the Sable Offshore Corp. at the Las Flores Canyon Oil and Gas Processing Plant from December 30, 2025 through December 31, 2025, or the date compliance is achieved, whichever occurs first. Said Emergency Variance provides relief from District Rule 206, Part 70/Permit to Operate 5651-R7, Conditions 9.C.15.c and allows for continued operation of the Stripping Gas Treatment Plant.

- F-2) Case No. – 2026-02-E
Sable Offshore Corp., 12000 Calle Real, Goleta, CA**

On February 18, 2026, Hearing Board member Terence Dressler approved an Emergency Variance for Sable Offshore Corp. at the Las Flores Canyon Oil and Gas Processing Plant from February 11, 2026 through March 12, 2026, or the date compliance is achieved, whichever occurs first. Said Emergency Variance provides relief from District Rules District Rule 206, Part 70/Permit to Operate 5651-R7, Conditions 9.C.8.a.i, 9.C.8.a.iii, and 9.C.37.o (Sulfur Removal Efficiency Plan) and allows for continued operation of the Tail Gas Cleanup Unit.

- F-3) Case No. – 2026-03-E
Pacific Coast Energy Company LP, 1555 Orcutt Hill Road, Orcutt, CA**

On April 22, 2026, Hearing Board member Terence Dressler approved an Emergency Variance for Pacific Coast Energy Company, LP at the Newlove Lease from March 27, 2026 through April 25, 2026, or the date compliance is achieved, whichever occurs first. Said Emergency Variance provides relief from District Rules 325.D.1 and 206, Part 70/Permit to Operate 8240-R12, Conditions 9.C.7, 9.C.2.a, and 9.D.6.

**F-4) Case No. – 2026-04-E
Pacific Coast Energy Company LP, 1555 Orcutt Hill Road, Orcutt, CA**

On April 22, 2026, Hearing Board member Terence Dressler approved an Emergency Variance for Pacific Coast Energy Company, LP at the Pinal Lease from March 30, 2026 through April 28, 2026, or the date compliance is achieved, whichever occurs first. Said Emergency Variance provides relief from District Rules 325.E.1 and 206, Part 70/Permit to Operate 8502-R11, Conditions 9.C.1 and 9.D.8. and allows for continued operation operations until repairs are complete on Pinal well #2.

G. ADJOURN

The next regularly scheduled meeting of the Santa Barbara County Air Pollution Control District Hearing Board is July 1, 2026, at 9:30 a.m. Meeting is subject to cancellation if there are no items to be heard.