



**NOTICE OF PUBLIC HEARING
AIR POLLUTION CONTROL DISTRICT HEARING BOARD
COUNTY OF SANTA BARBARA**

Notice is hereby given that the Santa Barbara County Air Pollution Control District (APCD) Hearing Board will hold a public hearing to consider the following matters on Wednesday, June 3, 2026, at 9:30 a.m., or as soon thereafter as the matter can be heard, at the Board of Supervisors Hearing Room, 105 East Anapamu Street, Santa Barbara, California, 93310.

**Case No. 2025-09-M1 –
(Modification of Variance and Modification of
Final Compliance Date)**

**Santa Barbara County Public Works Department
130 E. Victoria Street, Ste. 100
Santa Barbara, CA 93101**

Hearing – To consider a Modification of Regular Variance from District Rules 328.C.2, C.4, G, H and I.1 and Rule 206, ATC 14500-Mod 10, Conditions 9.B.12, 9.C.1.b.i., 9.C.1.b.iii., 9.C.2.b.ii., 9.C.3.b.i., 9.C.3.b.ii., 9.C.3.b.iii., 9.C.3.b.iv., 9.C.3.c.i., 9.C.3.c.ii., 9.C.3.d.i, 9.C.3.d.ii., 9.C.5.a.ii., 9.C.5.b.i., 9.C.6.a.iii, 9.C.6.a.iv., 9.C.7.a.i, 9.C.7.a.iv, 9.C.9.a.i, 9.C.9.a.iv., 9.C.9.b.iii., 9.C.9.b.iv.1.a., 9.C.9.b.iv.2.a., 9.C.9.b.xvi., 9.C.9.c.xiii (ADF CHP IC engines only), 9.C.10.b.i., 9.C.10.b.iii., 9.C.10.b.v., 9.C.10.b.xvi., 9.C.10.b.xvii., 9.C.10.c.iv., 9.C.10.d.i, 9.C.11.a.i., 9.C.11.a.ii., 9.C.11.b.i., 9.C.11.b.iv., 9.C.11.b.v., 9.C.11.b.viii., 9.C.11.b.ix., 9.C.11.b.x., 9.C.11.b.xi., 9.C.11.c.viii, 9.C.11.c.ix., 9.C.11.c.x., 9.C.11.c.xi., 9.C.11.c.xii, 9.C.19, 9.C.21 (ADF and MRF CHP IC engines only) 9.C.22, 9.C.34.f (Biofilter Monitoring Plan). The variance petition was submitted on May 4, 2026, for relief from the following requirements at the Tajiguas Landfill: Best Available Control Technology (BACT) emission limits for Anaerobic Digestion Facility (ADF) and Materials Recovery Facility (MRF) combined heat and power (CHP) internal combustion (IC) engines, operational parameters, continuous emissions monitoring system (CEMS) requirements and data telemetry for the ADF and MRF CHP IC engines, and CEMS excursions until compliance can be achieved.

Per Health and Safety Code §42356 and §42357, the Petitioner is requesting a Modification of Variance to include the removal of sixteen conditions, due to compliance being achieved and coverage is no longer needed. The Petitioner is also requesting the corresponding conditions listed in ATC 14500-Mod 10 be incorporated upon the issuance of PT 70/PTO 14500, which is expected to be issued in July 2026. In addition, the Petitioner is requesting a Modification of Final Compliance Date to extend coverage through May 29, 2027, or the date compliance is achieved, whichever occurs first.

The Petitioner operates the equipment at the Tajiguas Landfill located at 14470 Calle Real in Goleta, California.

Said Petitions are on file with the Clerk of the APCD Hearing Board and available for public inspection. Interested persons may submit written evidence, arguments concerning this matter, or make arrangements to view said Petition before the hearing by contacting the Hearing Board Clerk at: variance@sbcapcd.org, or 260 North San Antonio Rd., Suite A, Santa Barbara, California 93110.

Witness my hand and seal this 14 Day of May, 2026.

AERON ARLIN GENET

Clerk of the Hearing Board

By: **Lorena Saldana**
Deputy