



air pollution control district
SANTA BARBARA COUNTY

DRAFT

Permit to Operate 16640

Page 1 of 9

EQUIPMENT OWNER:

Chevron U.S.A., Inc.

EQUIPMENT OPERATOR:

Chevron U.S.A., Inc.

EQUIPMENT LOCATION:

5675 Carpinteria Avenue, Carpinteria

STATIONARY SOURCE/FACILITY:

Chevron - Carpinteria
Carpinteria Gas Plant

SSID: 00027
FID: 00027

EQUIPMENT DESCRIPTION:

The equipment subject to this permit is listed in the table at the end of this permit.

PROJECT/PROCESS DESCRIPTION:

This project involves the excavating, loading, and hauling of up to approximately 65,000 cubic yards of hydrocarbon-contaminated associated with the Chevron Carpinteria Oil & Gas Plant. The contaminated soil is located in the subject property. Stockpiles will be covered with continuous heavy-duty plastic sheeting or treated with the soil binder "Soil-Sement" to reduce fugitive particulates and Reactive Organic Compound (ROC) emissions. The excavated soil will be removed from the site by covered dump trucks.

DRAFT

Permit to Operate 16640

Page 2 of 9

CONDITIONS:

1. **Operation Limitations.** The permittee shall comply with the following operational limits:
 - a. No chemical defined by District Rule 102 as a Reactive Organic Compound shall be used during the excavation.
 - b. No chemical designated a Toxic Air Contaminant¹ or Candidate Toxic Air Contaminant shall be used during the excavation.
 - c. In the event the project produces nuisance complaints from the general public that are verified by the District to be attributed to the operations authorized by this permit, the operations shall cease immediately and mitigation measures shall be taken to eliminate the nuisance potential. For the purpose of this permit, in addition to the District Rule 303 definition of nuisance, a nuisance shall be considered any one complaint to the District from a resident or business within 1,000 feet of the project or property boundary and verified by the District to be attributed to the operations authorized by this permit.
 - d. Contaminated soil shall be transported expeditiously to an approved off-site disposal facility. Stockpiling of contaminated soil in excess of 24 hours after removal from the excavation work area is prohibited without written approval from the District.
 - e. There shall be no visible dust emissions at the property boundaries due to the project activities. If visible dust emissions from project activities are detected at the property boundary, removal and loading activities shall cease and dust mitigation measures shall be implemented immediately.
2. **Vapor and Dust Suppression.** The permittee shall comply with the following vapor and dust suppression requirements. The contractor shall designate a person or persons to monitor the dust control program and to order increased dust suppression, as necessary, to prevent transport of dust offsite. The name and telephone number of such persons shall be provided to the District prior to project start-up.
 - a. Contaminated or potentially contaminated soil shall be stockpiled and covered with plastic sheeting or treated with the soil binder "Soil-Sement" at the end of each work day and at all times material is not being added to, or taken from, the stockpiles.²

¹ Substances identified as Toxic Air Contaminants by the Air Resources Board, pursuant to the provisions of AB 1807 and AB 2728.

² This includes all stockpiles that were created from excavated materials. Clean, imported-fill soil is not required to be covered.

DRAFT

Permit to Operate 16640

Page 3 of 9

- b. Open pits and exposed sidewalls shall be covered with plastic sheeting, clean fill dirt, or treated with the soil binder 'Soil-Sement' at the end of each work day and when not being worked for 4 hours or more.
- c. All excavated material loaded on transport trucks shall be covered with plastic sheeting or tarps³ prior to exiting the load-out area and during transit. No openings or holes in the covers shall be permitted.
- d. All plastic sheeting used to fulfill the requirements of this permit shall be either 20 mil heavy duty plastic sheeting or DURA SKRIM 10HUV 10 mil polyester-reinforced polyethylene sheeting. If the District determines at any time that DURA SKRIM 10HUV sheeting is not effective at controlling dust or ROC emissions, the permittee shall apply 20 mil plastic sheeting.
- e. If Soil-Sement binder is used, it shall be applied at a rate of at least 0.28 gallons of concentrate per square yard of treated surfaces. The Soil-Sement binder shall be applied at a ratio of one (1) gallon of Soil-Sement to nine (9) gallons of water. If the District determines at any time that the Soil-Sement binder is not effective at controlling dust or ROC emissions, the permittee shall apply heavy-duty plastic sheeting.
- f. If there has been no measurable precipitation during the past three calendar days, water sprays or other adequate measures shall be applied each day that work activities occur to all disturbed areas with the potential to emit fugitive dust. The water sprays or other adequate measures shall be applied at least once during work activities and once at the end of the work day.
- g. Loose dirt and dust shall be removed from all vehicular wheels using brushes, rumble strips, or water prior to leaving the site. If the permittee or the District inspector determines rumble strips are not effective, brushing or water washing shall be the primary method for cleaning wheels. If the permittee or the District inspector determines brushing is not effective, water washing shall be the primary method for cleaning wheels.
- h. Upon completion of soil disturbing activities in each area, soil shall be stabilized to prevent wind erosion.

³ Tarp is defined as a heavy-duty, flexible cover made of woven polyethylene, canvas, or similar durable material, capable of fully enclosing or covering the entire load bed of a transport vehicle such that no excavated material, dust, or particulates can escape during transit. The tarp shall have no openings, tears, holes, or gaps, and shall be securely fastened to the vehicle to prevent displacement during movement.

DRAFT

Permit to Operate 16640

Page 4 of 9

3. **Monitoring.** Upon initiating operations, the permittee shall implement a monitoring program for dust concentrations, ROC concentrations, and odors.
- a. The background dust and ROC concentration shall be measured once every thirty minutes during operations concurrent with the excavation site air monitoring. The wind direction and wind speed shall be recorded during each background reading. The background concentration shall be measured at 200 feet upwind of the active excavation site.
- Alternatively, the background dust and ROC concentration may be established each day prior to daily work commencing by sampling and recording the property boundary concentration. Any other method to establish background concentrations must be approved in writing by the District prior to using the method.
- b. Air monitoring for dust concentrations shall be conducted using an active-sampling real-time monitor in the excavation site at least once every thirty minutes. The excavation site includes any stockpiles, any areas of disturbed soil, and any active work areas. If any dust concentration in the excavation site is greater than $50 \mu\text{g}/\text{m}^3$ above background for 30 seconds, air monitoring shall be conducted every 100 feet along the property boundary, within 1000 feet from the perimeter of the excavation site, as described in the *Air Quality Monitoring Plan*. If any dust concentration is greater than $50 \mu\text{g}/\text{m}^3$ above background for 30 seconds at the property boundary, activities shall cease and water spray or other dust prevention measures shall be immediately used to control emissions. The applicant shall notify the District via phone (805-979-8050) and e-mail (enfr@sbcapcd.org, Attn: CSC Project Manager) within 4 hours of discovery of an exceedance at the property boundary. Operations may resume upon demonstration that dust concentrations are below $50 \mu\text{g}/\text{m}^3$ above background.
- c. Air monitoring for ROC concentrations shall be conducted using a Photo Ionization Detector (PID) in the excavation site at least once every thirty minutes. The excavation site includes any stockpiles, any areas of disturbed soil, and any active work areas. If any ROC concentration in the excavation site is greater than 2 ppmv above background for 30 seconds, air monitoring shall be conducted every 100 feet along the property boundary, within 1000 feet from the perimeter of the excavation site, as described in the *Air Quality Monitoring Plan*. If any ROC concentration is greater than 2 ppmv above background for 30 seconds at the property boundary, activities shall cease and water spray or other vapor suppression measures shall be immediately used to control emissions. The permittee shall notify the District via phone (805-979-8050) and e-mail (enfr@sbcapcd.org, Attn: CSC Project Manager) within 4 hours of discovery of an exceedance at the property boundary. Operations may resume upon demonstration that ROC concentrations are below 2 ppmv above background.

DRAFT

Permit to Operate 16640

Page 5 of 9

- d. Odor monitoring shall be conducted in the excavation site at least once every thirty minutes during excavation activities. If odors are detected in the excavation site, monitoring shall be conducted along the property boundary. If odors⁴ are detected at the property boundary, activities shall cease and water spray or other vapor suppression measures shall be immediately used to control emissions. The permittee shall notify the District via phone (805-979-8050) and e-mail (enfr@sbcapcd.org, Attn: *CSC Project Manager*) within 30 minutes of detection of odors at the property boundary. Operations may resume upon demonstration that odors are not detectable at or beyond the property boundary.
- e. Dust concentration, ROC concentration, and odor monitoring readings shall be taken every 100 feet along the property boundary as defined in the Air Quality Monitoring Plan. Air monitoring readings shall be taken at 1.5 meters from the ground (average breathing height).
- f. If the permittee receives written approval from the District to store stockpiles onsite for more than 24 hours, the permittee shall monitor for ROC any stockpile left onsite for more than 24 hours at the beginning and end of every work day and at the beginning of each removal, loading, or grading activity. At least 4 readings shall be taken for each stockpile: one upwind, one downwind, one 90 degrees from the upwind position, and one 90 degrees from the downwind position. For any stockpile with sides greater than 20 feet long, one reading shall be taken every 20 feet around the perimeter of the pile.

The stockpiles shall be monitored by placing the probe inlet at a distance of no more than three inches from the surface of the contaminated soil and, while slowly moving the probe across the soil surface, observing the instrument readout. If an increased meter reading is observed, continue to sample the contaminated soil until the maximum meter reading is obtained. Leave the probe inlet at this maximum reading location for approximately double the instrument response time. Record all ROC concentration readings in a format approved by the District.

- g. ROC concentrations shall be measured by a Photo Ionization Detector (PID) calibrated to Isobutylene, complying with 40 CFR Part 60 Appendix A, EPA Reference Method 21 Section 3 or any equivalent method with prior approval in writing by the District.
- h. Soil sampling shall be done in accordance with the *Remedial Action Workplan* and *EHS Workplan Approval Letters*. Test results shall be made available upon District request within 21 days of sampling. All test results shall be included in the compliance report.

⁴ For the purpose of this permit, odors do not include engine exhaust.

DRAFT

Permit to Operate 16640

Page 6 of 9

Upon showing reasonable need, the District may require an increased (or decreased) monitoring frequency. Backup documentation such as instrument calibration, equipment maintenance, chain of custody records and sampling logs shall be available for District review. If documentation is not onsite, the permittee shall produce the required documentation within 7 calendar days of request by the District. The instruments shall be maintained according to manufacturer's specifications.

4. **Recordkeeping.** The permittee shall record and maintain the following information. This data shall be maintained for a minimum of three (3) years from the date of each entry and made available to the District upon request:
 - a. Sampling lab analysis results required by Condition 3.h.
 - b. ROC and dust concentration sampling results and odor monitoring results. A District-approved log shall be maintained (tabular format) that contains the following information on an ongoing basis: site location; permit number; sampling date; ROC concentration results at property boundary (in units of ppmv); dust concentration results at property boundary (units of $\mu\text{g}/\text{m}^3$); odor monitoring results (whether or not odors were detected).
 - c. Actions taken to remedy non-compliance based on sampling results and odor monitoring. These actions shall be documented in a District-approved *CSC Non-Compliance Reporting Form*.
 - d. Records of the daily amount of Soil-Sement binder applied, the Soil-Sement to water ratio, and the daily treated area.
 - e. Dates and number of hours per day of excavation activities.
 - f. Start and end times each day excavation activities occur and reasons for shutting down work (e.g., end of work day, visible dust offsite, ROC or dust concentration action levels exceeded, or detectable odors at or beyond the property boundary).
 - g. Amount of soil excavated per day.
 - h. Description of type and engine size of onsite mobile excavation equipment used.
 - i. Records of treatment/disposal shall be maintained for all contaminated soil removed from this site. Such records shall include identification and location of the generator, the transporter and the receiving facility. In addition, such records shall be signed and dated by each of the above parties indicating the receipt or relinquishment of the contaminated soil at the time custody is transferred.

DRAFT

Permit to Operate 16640

Page 7 of 9

5. **Reporting.** Within 60 days of the completion of the project, a written report documenting compliance with the terms and conditions of this permit shall be provided by the permittee to the District (Attn: *CSC Project Manager*). The report shall contain information necessary to verify compliance with the emission limits and other requirements of this permit. The report shall be in a format approved by the District. Compliance with all limitations and restrictions shall be documented in the submittals. All logs and other basic source data not included in the report shall be made available to the District upon request. The report shall include all records required by Condition 4.a. – i. above.
6. **Permit Expiration.** This permit is valid for one year from the date of issuance. The District may extend the life of this permit for good cause. To obtain an extension, the permittee shall make the request in writing at least 15 days prior to the expiration of this permit.
7. **Discovery of Additional Contamination.** If additional contaminated soil is found that was not detailed in the *Remedial Action Workplan* and a revised plan is required by the lead agency, the additional contaminated soil shall not be excavated under this permit. A new permit application shall be submitted for the work required by the revised plan.
8. **Scope of Project.** The conditions of this permit are valid for the entire length of the project, including excavation, sampling, stockpiling, transportation offsite and backfilling with clean, imported-fill soil. This condition shall not be construed as allowing work beyond one year from issuance or allowing operations to continue beyond what was described in the permit application and *Remedial Action Workplan*.
9. **Initial Operations and District Inspection.** The permittee shall:
 - a. Notify the District in writing (enfr@sbcapcd.org, Attn: *Compliance Manager*) of the initial operation date. This notification shall be provided 7 days prior to initial operations.
 - b. Arrange for an inspection by contacting the District's Compliance Supervisor no later than 24 hours after initial operations commence. The Compliance Division may waive this inspection requirement if an initial inspection is deemed unnecessary to verify that the modifications authorized by this permit are in compliance with District rules and permit conditions.
 - c. As specified in Condition 2, prior to project start-up, provide the name and telephone number to the District for the person or persons designated by the contractor to monitor the dust control program and to order increased dust suppression, as necessary, to prevent transport of dust offsite.
10. **Project Completion.** The permittee shall notify the District in writing (enfr@sbcapcd.org, Attn: *CSC Project Manager*) within one week of completion of the project.

DRAFT

Permit to Operate 16640

Page 8 of 9

11. **Documents Incorporated by Reference.** The documents listed below, including any District-approved updates thereof, are incorporated herein by reference and shall have the full force and effect of a permit condition for this permit. If any conflict arises between the requirements and limits of this permit and the documents, the requirements or limits that are more protective of air quality shall apply. These documents shall be implemented for the life of the Project and shall be made available to District inspection staff upon request.
 - a. *Air Quality Monitoring Plan* (Dated July 31, 2026).
 - b. *Remedial Action Plan* (Dated November 30, 2025).
12. **Consistency with Analysis.** Operation under this permit shall be conducted consistent with all data, specifications and assumptions included with the application and supplements thereof (as documented in the District's project file) and the District's analyses under which this permit is issued as documented in the Permit Analyses prepared for and issued with the permit.
13. **Compliance.** Nothing contained within this permit shall be construed as allowing the violation of any local, state or federal rules, regulations, air quality standards or increments.
14. **Severability.** In the event that any condition herein is determined to be invalid, all other conditions shall remain in force.
15. **Conflict Between Permits.** The requirements or limits that are more protective of air quality shall apply if any conflict arises between the requirements and limits of this permit and any other permitting actions associated with the equipment permitted herein.
16. **Access to Records and Facilities.** As to any condition that requires for its effective enforcement the inspection of records or facilities by the District or its agents, the permittee shall make such records available or provide access to such facilities upon notice from the District. Access shall mean access consistent with California Health and Safety Code Section 41510 and Clean Air Act Section 114A.
17. **Reimbursement of Costs.** All reasonable expenses, as defined in District Rule 210, incurred by the District, District contractors, and legal counsel for the activities listed below that follow the issuance of this permit, including but not limited to permit condition implementation, compliance verification and emergency response, directly and necessarily related to enforcement of the permit shall be reimbursed by the permittee as required by Rule 210. Reimbursable activities include work involving: permitting, compliance, CEMS, modeling/AQIA, ambient air monitoring and air toxics.

DRAFT

Permit to Operate 16640

Page 9 of 9

18. **Nuisance.** Except as otherwise provided in Section 41705 of the California H&SC, no person shall discharge from any source whatsoever such quantities of air contaminants or other material which cause injury, detriment, nuisance, or annoyance to any considerable number of persons or to the public, or which endanger the comfort, repose, health, or safety of any such persons or the public, or which cause, or have a natural tendency to cause, injury or damage to business or property.
19. **Grounds for Revocation.** Failure to abide by and faithfully comply with this permit or any Rule, Order, or Regulation may constitute grounds for revocation pursuant to California Health & Safety Code Section 42307 *et seq.*
20. **Transfer of Owner/Operator.** This permit is only valid for the owner and operator listed on this permit unless a *Transfer of Owner/Operator* application has been applied for and received by the District. Any transfer of ownership or change in operator shall be done in a manner as specified in District Rule 203. District Form –01T and the appropriate filing fee shall be submitted to the District within 30 days of the transfer.

AIR POLLUTION CONTROL OFFICER

DATE

Attachments:

- Permit Evaluation for Permit to Operate 16640

Notes:

- This permit expires one year from issuance.
- Stationary sources are subject to an annual emission fee (see Fee Schedule B of Rule 210).



air pollution control district
SANTA BARBARA COUNTY

DRAFT

**PERMIT EVALUATION FOR
PERMIT TO OPERATE 16640**

Page 1 of 4

1.0 BACKGROUND

- 1.1 General: This excavation is part of the Carpinteria Oil & Gas Plant decommissioning project. Approximately 65,000 cubic yards of hydrocarbon-contaminated soil will be excavated and hauled to Kettleman Hills Hazardous Waste Facility. The application for PTO 16640 was received on August 5, 2026 and deemed complete on October 6, 2026.

Excavated material will be loaded on trucks for transportation offsite. Fugitive dust and ROC emissions will be monitored and mitigated through the use of water sprays, vapor suppressants, covering, and direct offsite removal of excavated soils. Stockpiles will be covered with continuous heavy-duty plastic sheeting or treated with the soil binder “Soil-Sement” to reduce odors, fugitive particulates and Reactive Organic Compound (ROC) emissions.

1.2 Permit History:

PERMIT	FINAL ISSUED	PERMIT DESCRIPTION
Reeval 07996 R13	06/10/2024	Permit renewal.
Exempt 16487	06/04/2026	This exemption is for the use of marine vessels Ocean Provider, PTS 186, J.M. Hidalgo, DM Tapper, Captain Cale, and associated engines for pipeline decommissioning work, under Rule 202.F.8. The decommissioning work includes the Marketing and Marine Terminal Offloading Line Bundle, and Platform Hazel/Hilda Pipeline Bundle.

- 1.3 Compliance History: The facility was last inspected by a District inspector on December 11, 2025. No deficiencies were noted.

2.0 ENGINEERING ANALYSIS

- 2.1 Equipment/Processes: The contaminated soil will be excavated and removed from the site.
- 2.2 Emission Controls: Emission controls include soil stabilization using water, vapor suppressants and covering with continuous heavy-duty plastic sheeting.
- 2.3 Emission Factors: Emission factors were not used.
- 2.4 Reasonable Worst Case Emission Scenario: Emissions were not calculated for this project.

DRAFT

PERMIT EVALUATION FOR PERMIT TO OPERATE 16640

Page 2 of 4

- 2.5 Emission Calculations: Emissions were not calculated for this project as there are no reliable methods for estimating emissions from small soil removal and loading projects such as this.
- 2.6 Special Calculations: There are no special calculations.
- 2.7 BACT Analyses: Best Available Control Technology was not required for this project.
- 2.8 Enforceable Operational Limits: The permit has enforceable operating conditions that ensure that visible dust emissions and odors (organic compounds) do not leave the site.
- 2.9 Monitoring Requirements: Monitoring of the operational limits is required to ensure that they are enforceable. Dust and ROC monitoring at the property boundary are required. Additional monitoring includes PID readings of stockpiled soil and lab analysis of the soil as specified in the *Remedial Action Plan*.
- 2.10 Recordkeeping and Reporting Requirements: The permit requires that the data which is monitored be recorded and reported to the District.

3.0 REEVALUATION REVIEW (not applicable)

4.0 REGULATORY REVIEW

4.1 Partial List of Applicable Rules:

Rule 201.	Permits Required
Rule 202.	Exemptions to Rule 201
Rule 205.	Standards for Granting Permits
Rule 301.	Circumvention
Rule 302.	Visible Emissions
Rule 303.	Nuisance
Rule 801.	New Source Review - Definitions and General Requirements
Rule 802.	New Source Review
Rule 809.	Federal Minor Source New Source Review
Rule 810.	Federal Prevention of Significant Deterioration

4.2 Rules Requiring Review: None.

5.0 AQIA

The project is not subject to the Air Quality Impact Analysis requirements of Regulation VIII.

6.0 OFFSETS/ERCs

6.1 Offsets: The emission offset thresholds of Regulation VIII are not exceeded.

DRAFT

**PERMIT EVALUATION FOR
PERMIT TO OPERATE 16640**

Page 3 of 4

6.2 **ERCs:** This source does not generate emission reduction credits.

7.0 AIR TOXICS

An air toxics health risk assessment was not performed for this permitting action.

8.0 CEQA / LEAD AGENCY

The City of Carpinteria is the Lead Agency under CEQA on this project. On May 5, 2025, the City approved the Decommissioning and Remediation of the Chevron Carpinteria Oil & Gas Processing Facility Project (Case No. 21-2128-DP/CDP) and certified the Final Environmental Impact Report for the Chevron Oil and Gas Decommissioning Project (FEIR; SCH No. 2022080026), via Resolution PC-25-001. The actions taken by District for the project are within the scope of the FEIR prepared by the Lead Agency. Pursuant to CEQA Guidelines sections 15050, 15096(a) and 15096(f), the Control Officer has reviewed and considered the environmental review package and the environmental effects of the project as shown in the FEIR, prior to approving permits for the project. Additional CEQA information is included in Attachment A.

9.0 SCHOOL NOTIFICATION

A school notice pursuant to the requirements of Health and Safety Code Section 42301.6 will be issued for the draft permit on October 13th and the public comment period will conclude on November 13th. The notice will be mailed to all parents/guardians of children enrolled at Farm to Table as well as to each address within a radius of 1,000 feet of the source.

10.0 PUBLIC and AGENCY NOTIFICATION PROCESS/COMMENTS ON DRAFT PERMIT

10.1 This project is subject to a public notice which begins on October 13th and concludes on November 13th.

10.2 Draft comments, if any, will appear in the final permit.

11.0 FEE DETERMINATION

Fees for this permit are assessed under the cost reimbursement provisions of Rule 210. The Project Code is 205909 (*CSC Carpinteria Gas Plant*).

12.0 RECOMMENDATION

It is recommended that this permit be granted with the conditions as specified in the permit.

AQ Engineer/Technician

Date

Supervisor

Date

DRAFT

**PERMIT EVALUATION FOR
PERMIT TO OPERATE 16640**

Page 4 of 4

13.0 ATTACHMENT(S)
A. CEQA Findings

DRAFT

Permit to Operate 16640

ATTACHMENT A

CEQA Findings

1.0 Final Environmental Impact Report, SCH#2022080026

1.1 Consideration of the Environmental Impact Report

The City of Carpinteria is the Lead Agency under CEQA on this project. On May 5, 2025, the City approved the Decommissioning and Remediation of the Chevron Carpinteria Oil & Gas Processing Facility Project (Case No. 21-2128-DP/CDP) and certified the Final Environmental Impact Report for the Chevron Oil and Gas Decommissioning Project (FEIR; SCH No. 2022080026), via Resolution PC-25-001. The actions taken by District for the project are within the scope of the FEIR prepared by the Lead Agency. Pursuant to CEQA Guidelines sections 15050, 15096(a) and 15096(f), the Control Officer has reviewed and considered the environmental review package and the environmental effects of the project as shown in the FEIR, prior to approving permits for the project.

1.2 Findings Regarding Previous Environmental Document (Public Resources Code Section 21166/California Environmental Quality Act Guidelines Section 15162 Findings)

Acting as a Responsible Agency, the Air Pollution Control District's action on the project with respect to the issuance of PTO 16640 is limited to the authorization of the excavation, loading, and hauling of up to approximately 65,000 cubic yards of contaminated soil to an offsite disposal facility, either Clean Harbors Buttonwillow in Buttonwillow, CA or Waste Management Kettleman Hills Waste Facility in Kettleman City, CA. Soil Constituents of Concern (COCs) include petroleum hydrocarbons, Polychlorinated Biphenyls (PCBs), Polycyclic Aromatic Hydrocarbons (PAHs), heavy metals (including arsenic, barium, cadmium, chromium, copper, lead, mercury, nickel, zinc), and other chlorinated pesticides (DDT, Aldrin, dieldrin, gamma-BHC, heptachlor, Heptachlor Epoxide, Methoxychlor, Toxaphene). The scope of analysis in the FEIR includes the excavation/remediation of any impacted soils within the facility and restoration of the affected portions of the project site in accordance with the agency approved Remedial Action Plan. As stated in the FEIR, the remedial contractor will implement the remedial actions at the project site in accordance with applicable local, state, and federal requirements, including off-site disposal. Remediation of the portions of the project site underlying the facility will be achieved through the excavation of shallow onsite impacted soils as specified in the RAP and RAP Addendums as approved by the requisite regulatory agencies. PTO 16640 authorizes the excavation and offsite disposal of the COCs identified in the approved RAP. This is the only project activity that the District is carrying out, and the District is not responsible for considering those aspects of the project that are beyond its purview.

DRAFT

Permit to Operate 16640

ATTACHMENT A

CEQA Findings

As a Responsible Agency under CEQA, the District is obligated to consider whether any of the conditions identified by CEQA Guidelines Section 15162 requiring subsequent environmental review, including a subsequent EIR, have occurred. On the basis of the whole record, including the City's environmental review package other references included in the District permit file, the District finds that there are no substantial changes proposed in the project and no substantial changes have occurred with respect to the circumstances under which the project has undertaken, therefore, no major revisions to the prior EIR are required due to new or substantially increased significant impacts, and there is no new information of substantial importance showing new or substantially increased significant impacts or impacts to new or previously analyzed mitigation measures or alternatives that would substantially reduce significant impacts. Therefore, pursuant to CEQA Guidelines Section 15162 the District finds that none of the conditions requiring additional environmental review have been triggered and no further environmental review is required.

1.3 Public Resources Code Section 21081 Findings

The FEIR for the Decommissioning and Remediation of the Chevron Carpinteria Oil & Gas Processing Facility Project prepared and certified by the City of Carpinteria identifies significant, unavoidable impacts associated with the proposed project in the topics of Biological Resources, Hazardous Materials and Risk of Upset, and Hydrology and Water Resources. Mitigation measures to reduce these impacts have been applied to the project to the extent feasible but would not reduce the environmental effects below the identified criteria used to define significant impacts.

Identified mitigation measures would reduce all remaining Class II impacts (related to Aesthetics, Air Quality, Biological Resources, Cultural Resources, Geology and Soils, Climate Change and GHG, Hazardous Materials and Risk of Upset, Noise and Vibration, Tribal Cultural Resources) associated with the project to less than significant levels (Class III). These environmental mitigation measures were incorporated into the Conditions of Approval for the project in order to mitigate identified environmental impacts. All feasible mitigation measures identified in the FEIR are within the responsibility and jurisdiction of a public agency other than the Air Pollution Control District.

1.4 Statement of Overriding Considerations.

The City of Carpinteria found that the adverse impacts identified in the FEIR as significant have been mitigated to the maximum extent feasible, and to the extent these impacts remain significant and unavoidable after implementation of mitigation measures, that such impacts are acceptable when weighed against the overriding social, economic and other public benefits of the project set forth in the Statement of Overriding Considerations as adopted by the City.

As identified by the City of Carpinteria Planning Commission, the remaining significant and unavoidable impacts identified in the FEIR are "acceptable," based on the following overriding considerations:

- a. The Project provides for a number of short and long-term beneficial effects to the area as a result of cleaning up an old, defunct oil and gas facility and offshore appurtenances.

DRAFT

Permit to Operate 16640

ATTACHMENT A

CEQA Findings

b. The Project involves removal of a coastal-dependent industrial facility and associated infrastructure and site restoration to natural topography and vegetation. The Project would result in additional open space, natural habitat, and coastal recreation opportunities in the Project area. The Project would remove pipelines from the Project Site, bluff area, beach, nearshore and offshore areas out to three miles. No permanent development or structures are proposed in connection with the Project.

c. Although the Project would have some short-term impacts, its long-term beneficial effects are also discussed in the Final EIR Section 5.5 and summarized below:

- Air Quality: operational criteria pollutant emissions, toxic emissions and odors would be reduced in the long term with removal of facilities and contamination, but would occur in the short term as a result of the decommissioning activities;
- Hazardous Materials: Due to an elimination of contaminated soils and elimination of potential sources of an oil spill in the future by removal of facilities and upset hazards hazardous materials would be reduced in the long term but would occur in the short term related to decommissioning activities;
- Aesthetics: The Project would include aesthetic benefits by having old and dilapidated structures removed from the coastal zone.
- Biological Resources: Biological resources would be left undisturbed after the temporary impact from decommissioning activities.
- Land Use: Land Use impacts are beneficial in the long term due to the elimination of an industrial land use on the Carpinteria Bluffs.
- Geological Impacts: Geological impacts would be reduced in the long term by removing pipelines from the bluffs that could cause long term erosion, but would occur in the short term related to decommissioning activities;
- Transportation: Traffic would be reduced in the long term due to the elimination of truck trips from the facility, but would occur in the short term related to decommissioning activities.

1.5 Location of Record of Proceedings.

The documents and other materials which constitute the record of proceedings upon which this decision is based are in the custody of the Santa Barbara County Air Pollution Control District located at 260 N. San Antonio Rd, Santa Barbara, CA 93110. Documents are also available in the District's electronic administrative permit file located at <\\sbcapcd.org\shares\Groups\ENGR\WP\Oil&Gas\Major Sources\SSID 00027 Chevron - Carpinteria\PTOs\PTO 16640>.