



**Santa Barbara County
Air Pollution Control District**

Our Vision  Clean Air

*****ADDENDUM***
CHANGES TO THE PUBLIC NOTICE ORIGINALLY PUBLISHED SEPTEMBER 18, 2016
ARE UNDERLINED BELOW**

**NOTICE OF PUBLIC HEARING
COUNTY OF SANTA BARBARA
AIR POLLUTION CONTROL DISTRICT HEARING BOARD**

Notice is hereby given that the Santa Barbara County Air Pollution Control District Hearing Board will hold a public hearing to consider the following matters on Wednesday, October 5, 2016 at 9:30 a.m. at the Board of Supervisors Hearing Room, 105 East Anapamu Street, Santa Barbara, California, 93110.

**Case No. 2016-27-R (Regular Variance) – Venoco, LLC.
6267 Carpinteria Avenue
Carpinteria, CA 93013**

Hearing – To consider an application by Venoco, LLC. submitted on September 7, 2016 for a Modification of the Final Compliance Date of Regular Variance No. 2015-32-R. The Petitioner is requesting continued relief from District Rule 206, Condition 9.C.17 of Part 70/Permit to Operate 7904. This requires that the Petitioner operate an odor monitoring station (for hydrogen sulfide). An odor monitoring station was operated until October 2015 when the lease for the property where the station was located terminated due to the property owner's recently approved development plans. The Petitioner has yet to secure a new location for the monitoring station. The Petitioner operates the equipment described in the Petition at the Ellwood Onshore Facility (EOF) located approximately 14 miles west of the City of Santa Barbara, California.

On December 2, 2015, the Hearing Board heard and issued Regular Variance Order 2015-32-R, providing relief from the above conditions through October 21, 2016. Per Health and Safety Code §42357, the Petitioner is requesting a Modification of Final Compliance Date, extending variance coverage through October 21, 2017, or the date compliance is achieved, whichever occurs first. There are no expected emissions related to the granting of the Petitioners request.

In addition, the Petitioner is also seeking relief from Rule 206, Conditions 9.C.18 and 9.C.19. If approved, these conditions would be added to Regular Variance Order No. 2016-27-R.

Said Petition is on file with the Clerk of the APCD Hearing Board and is available for public inspection during regular business hours. Interested persons may submit written evidence or arguments concerning these matters before or at said hearing to: The Clerk of the Hearing Board, 260 North San Antonio Rd., Suite A, Santa Barbara, California 93110.

Witness my hand and seal this 22nd day of September, 2016.

**AERON ARLIN GENET
Clerk of the Hearing Board**

By: **Sara Hunt**
Deputy

Published: *September 18, 2016*
Santa Barbara News-Press